



**Consulate General of the United States of America**

**Sapporo, Japan**

May 2, 2016

Dear Prospective Quoters:

SUBJECT: Request for Quotations (RFQ) Number SJA705-16-Q-0051  
Residential Remodeling Services for U.S. Consulate General  
Sapporo

The Consulate General of the United States of America seeks to enter into a contract with a qualified, responsible, and reliable firm with sufficient knowledge and facilities for obtaining residential remodeling services for the U.S. Consulate General in Sapporo, Japan.

If you are interested in submitting a quotation on this project, read the instructions in Section J of the enclosed Request for Quotations (RFQ).

1. Pre-quotation Conference and Site Visit

a. To provide all the quoters with a uniform explanation of requirements, the U.S. Consulate General Sapporo will hold a pre-quotation conference and site visits on the following date, time, and location

Date and Time: Tuesday, May 10, 2016; at 1:00 p.m.

Location: U.S. Consulate General Sapporo

3-1 Kita 1-jo Nishi 28-chome, Chuo-ku, Sapporo, Japan

Note: The U.S. Consulate General does not provide parking spaces at the Consulate General. All participants must arrange their own parking place.

b. All interested quoters who wish to attend must submit individual name(s), company name/address, telephone/fax numbers, and e-mail address to Toshiya Ikeda at: facsimile number 011-641-1180 or e-mail at [IkedaTX@state.gov](mailto:IkedaTX@state.gov) by no later than 4:00 p.m., Monday, May 9, 2016 (local time), to arrange entry to the Consulate buildings.

c. Attendee(s) must present an identification (ID) card (e.g. driver's license, passport, etc.) with photo on it when entering the buildings.

d. Photography is NOT ALLOWED within the Consulate building, Residential areas, and grounds and all cameras are left outside or with the guard at the entrance.

2. Questions

Following the Site Visits, interested quoters may submit questions in English in regard to this RFQ by 12:00 noon, Thursday, May 12, 2016, via FAX at 011-641-1180 or e-mail at [IkedaTX@state.gov](mailto:IkedaTX@state.gov). All questions will be consolidated and one response will be released and posted on the Embassy's website at <http://japan2.usembassy.gov/e/info/tinfo-solicitations.html>.

3. Quotations

Quotations must be received by no later than **12:00 noon, Monday, May 23, 2016 (local time)**, to Toshiya Ikeda in U.S. Consulate General Sapporo, via FAX at 011-641-1180 or e-mail at [IkedaTX@state.gov](mailto:IkedaTX@state.gov). No quotation will be accepted after this time.

4. As required by U.S. Government's federal acquisition regulation (FAR), prospective quoters shall be registered in the System for Award Management (SAM) database prior to award of a contract. Below is the website link providing additional vendor registration information:

<https://www.sam.gov/portal/SAM/#1#1>

It is understood that no payment will be made for preparation and submission of your quotation.

Thank you in advance for your interest and your time in participating in the Request for Quotations process.

Sincerely,



Justin W. Tull  
Contracting Officer

Enclosure:

Request for Quotations SJA705-16-Q-0051

<b>REQUEST FOR QUOTATIONS (RFQ)</b> <i>(THIS IS NOT AN ORDER)</i>		THIS RFQ [ ] IS [ <input checked="" type="checkbox"/> ] IS NOT A SMALL BUSINESS SET-ASIDE			PAGE 1	OF 1	PAGES 39
1. REQUEST NO. SJA705-16-Q-0051	2. DATE ISSUED May 2, 2016	3. REQUISITION/PURCHASE REQUEST NO. PR5114337	4. CERT. FOR NAT. DEF. UNDER BDSA REG. 2 AND/OR DMS REG. 1		RATING		
5A. ISSUED BY  U.S. Consulate General, Sapporo Kita 1-jo Nishi 28-chome Chuo-ku, Sapporo 064-0821 Japan				6. DELIVER BY (Date)			
5B. FOR INFORMATION CALL: (Name and telephone no.) (No collect calls)				7. DELIVERY			
NAME  Toshiya Ikeda		TELEPHONE NUMBER		<input checked="" type="checkbox"/> FOB DESTINATION <input type="checkbox"/> OTHER (See Schedule)			
		AREA CODE 011	NUMBER 641-1854				
8. TO:				9. DESTINATION			
a. NAME		b. COMPANY		a. NAME OF CONSIGNEE			
c. STREET ADDRESS				b. STREET ADDRESS			
d. CITY		e. STATE	f. ZIP CODE	c. CITY			
				d. STATE	e. ZIP CODE		
10. PLEASE FURNISH QUOTATIONS TO THE ISSUING OFFICE IN BLOCK 5A ON OR BEFORE: May. 23, 2016; 12:00 noon		<b>IMPORTANT:</b> This is a request for information, and quotations furnished are not offers. If you are unable to quote, please so indicate on this form and return it to the address in Block 5A. This request does not commit the Government to pay any costs incurred in the preparation of the submission of this quotation or to contract for supplies or services. Supplies are of domestic origin unless otherwise indicated by quoter. Any representations and/or certifications attached to this Request for Quotations must be completed by the quoter					
11. SCHEDULE (Include applicable Federal, State and local taxes)							
ITEM NO. (a)	SUPPLIES/SERVICES (b)	QUANTITY (c)	UNIT (d)	UNIT PRICE (e)	AMOUNT (f)		
1	Residential Remodeling Services for U.S. Consulate General Sapporo, in accordance with the terms and conditions of the Request for Quotations.						
12 DISCOUNT FOR PROMPT PAYMENT		a. 10 CALENDAR DAYS %	b. 20 CALENDAR DAYS %	c. 30 CALENDAR DAYS %	d. CALENDAR DAYS		
					NUMBER	%	
NOTE: Additional provisions and representations [ <input checked="" type="checkbox"/> ] are [ ] are not attached.							
13 NAME AND ADDRESS OF QUOTER				14 SIGNATURE OF PERSON AUTHORIZED TO SIGN QUOTATION		15 DATE OF QUOTATION	
a. NAME and ADDRESS OF QUOTER (COMPANY)							
DUNS NO.:							
c. COUNTY				16. SIGNER a. NAME (Type or print)		b. TELEPHONE	
d. CITY	e. STATE	f. ZIP CODE	c. TITLE (Type or print)		AREA CODE		
				NUMBER			

Table of Contents

Standard Form (SF) 18 - Request for Quotations, the cover sheet  
Section A: Price  
Section B: Statement of Work  
Section C: Packaging and Marking  
Section D: Inspection and Acceptance  
Section E: Deliveries or Performance  
Section F: Administrative Data  
Section G: Special Requirements  
Section H: Clauses  
Section I: List of Attachments  
Section J: Quotation Information  
Section K: Evaluation Criteria  
Section L: Representations, Certifications, and other Statements of  
Quoters

Attachment I-1: Drawings and Copies of Catalog  
Attachment I-2: RSO Tokyo Security Form

**Section A: Prices**

The Contractor shall complete all work, including furnishing all labor, material, equipment and services required under this purchase order for the following firm fixed price and within the time specified. This price shall include, but not limited to, all labor, materials, all insurances, overhead, and profit.

**Total: ¥** \_\_\_\_\_

The U.S. Consulate General Sapporo is exempt from Japanese consumption taxes; therefore, such taxes shall not be included in the price nor charged on invoices. After receipt of the Contractor's invoice, the Government will provide the Contractor with a signed Certificate of Tax Exemption Purchase for Foreign Establishments. (For non-Designated Stores, please visit the following link for registration:

<http://www.nta.go.jp/tetsuzuki/shinsei/annai/shohi/annai/23120184.htm>

)

## **Section B: Statement of Work**

### **1. Scope of Work**

Repair bathrooms and Living room floors in CG Residence in Sapporo.

### **2. General**

2.1 All work required under this contract shall be accomplished in accordance with Japan Architectural Specification Standard (JASS). All work required under this contract shall be performed in a professional manner of the respective trade. The Contracting Officer's Representative (COR) and/or COR's designee shall perform QA/QC inspection on contracted work at-any-time basis. Any found deficiencies and/or discrepancies against contract work requirement and specifications shall be corrected accordingly by the Contractor at no additional cost to the Consulate.

2.2 All materials and labor shall be furnished by the Contractor unless otherwise stipulated herein. Quality of all materials to be used for all required work shall meet or exceed Japan Industrial Standard (JIS).

2.3 The Contractor shall be responsible for keeping the work areas clean and neat. After completion of work, the Contractor shall clean the work areas and leave it in a vacuum-clean condition. The Contractor shall dispose of all debris left over from the contracted work outside the Housing Compound in accordance with applicable local codes for industrial waste disposal, unless otherwise stipulated herein.

2.4 Prior to work commencement on the job site, the Contractor shall submit to the COR for approval material samples, shop drawings, color samples, and a work schedule as requested.

2.5 The Contractor shall guarantee all the work completed and any materials supplied by the Contractor under this contract one (1) year from the date of acceptance against any defects.

2.6 It is the Contractor's responsibility to verify all dimensions and any site conditions. The Contractor shall notify the COR of any discrepancies or inconsistencies between the plans and the site conditions before work occurs and alters the existing conditions.

2.7 It is the Contractor's responsibility to notify the COR of any discrepancies between the plans and the specifications or any requirements identified in the contract prior to the commencement of work. If any such discrepancies are identified after the commencement of work, the COR will decide which detail or statement

is most beneficial to the USG and that detail or statement will be implemented by the Contractor at the Contractor's expense.

### **3. Powder room repair work in Room 111**

3.1 Removal work: Remove and dispose of existing floor tiles, built in cabinet, basin, commode, mirror and lighting fixtures. Contractor shall provide a portable fan with flexible duct. Make barriers with temporary studs and plastic sheets for dust control.

3.2 New cabinet: Fabricate and install approximately W800XD550XH820mm base cabinet. Install one set of height adjustable rack inside cabinet. Inside cabinet shall be finished with white polyester film finish.

3.3 Cabinet door: Furnish hinged double door for sink cabinet. Use high gloss Di-Nock film HG-1205 for door finish. Vertical door edges require round finish. Furnish and install 4 sets of door pulls ATH613-121 from UNION.

3.4 Paper towel dispenser: Over the cabinet door, the Contractor shall furnish built in stainless steel paper tower dispenser INAX KF-17A and custom made stainless steel flap for trash box, opened at top hinges. Height of the flap must be perfectly matched with the paper towel dispenser and aligned side by side. Stainless steel finish of the flap must be matched with the paper towel dispenser and engraved the word "TRASH" on the center. Treat the flap edges properly for safety. Provide H200mm filler matched with cabinet door finish and cut holes for installing the paper towel dispenser and trash flap. Fabricate approximately W380XD500XH500mm dust basket made with punching stainless steel sheets. Install tray with track rails at the bottom to pull the basket out from the base cabinet smoothly.

3.5 Countertop: Furnish minimum 30mm thickness IMPARA BLACK granite stone countertop with 50mm thickness front edge. Provide beveled front edge and polish the surface for gloss finish. Furnish and install over mount type basin LS911CR from TOTO. Furnish and install auto faucet TEXN20A from TOTO. Furnish 100mm height IMPARA BLACK granite stone splash guard with beveled treated edge and install along the counter edge.

3.6 Soap dispenser: Furnish portable auto flow soap dispenser "EVASOLO Automatic soap dispenser 200ml (Silver) imported by Smart Kitchen.

3.7 Mirror: Furnish a single mirror covering from top of the splash guard to the ceiling height with the wall width.

3.8 Floor: Smooth the slab surface with mortar cement and furnish 400X400mm Marble stone tiles BOTICHINO KURASHIKO from ADVAN. Furnish

the same floor materials and cut 100mm height and install as base board along the floor edges. Top edges shall be tapered and polished.

3.9 Wall: On top of the concrete block walls, the Contractor shall apply 3mm thickness of cation coating and install 12mm thickness wall panels rapped with wood texture Di-Nock films FW-1293 ASH from 3M. Divide the wall height into 4 sections from top of the marble base board: H600mm panel + 10mm gap + 600mm panel + 10mm gap + H600mm panel + 10mm gap + Remained wall height + 10mm gap. Furnish 10X20mm stainless steel strips and fill in the gaps.

3.10 Door: Using existing door, install Di-Nock film matched with wood texture for inside surface. Paint the outside surface of the door and door frame with oil base paint to be matched with existing color. Furnish one set of coat hook LIXIL INAX Double Hook KF-28 and install on the inside door at 1700mm height.

3.11 Ceiling lights: Furnish 2 sets of LED down light fixture LEDD85006 with 100W equivalent brightness lamp and install in the center room. Furnish 2 sets of LED down light fixture LEDD85021-LS and install over the countertop/basin. Furnish a motion sensor switch for lightings and exhaust installed on the ceiling.

3.12 Ceiling: Patch any holes with plaster putty and paint with white color water base paint.

3.13 Power outlets: Install one set of 100V GFCI duplex power outlets on the counter level and another set behind commode.

3.14 Commode: Furnish the remodel series of no water tank commode NEOREST AH type with white color. Furnish stainless steel built in toilet paper holder TOTO YH63R. Cut and install on the wall panel.

3.15 Furnish one set of Sanitary box ST-M3, DP-28L-SA from Yamazaki Sangyo (CONDOR).

#### **4. Description of Work for Bathrooms 206 and 207**

##### 4.1 Removal and Demolition:

The Contractor shall remove basin cabinets, commodes, mirrors, wall/floor tiles, mixing valves, shower heads, lighting fixtures and any hardware including toilet paper holders, towel hangers. Remain bathtubs.

##### 4.2 Basin cabinet:

The Contractor shall furnish and install basin cabinet, acrylic marble countertop, lavatory and faucet. The Contractor shall furnish and install new china countertop lavatory L-2149FC with new faucet LF-E340S-PU of INAX or its equivalent. Furnish and install the acrylic marble counter equivalent to Dupon Corean series for approximately the 700X600mm sized basin countertop with 900X150mm

countertop over the toilet. Melamine finishes are required on the cabinet doors and exposed cabinet side and polyester film finishes are required inside the cabinets.

The Contractor shall submit the shop drawing of the cabinet and receive approval from the COR prior to the fabrication.

4.3 Power outlets: Install one set of 100V GFCI duplex power outlet on the wall behind each commode for installing toilet warm seat.

4.4 Commode: Furnish the remodel series of no water tank commode NEOREST AH type. Use White color. Furnish stainless steel built in toilet paper holder TOTO YH63R.

4.5 Bathtub:

The Contractor shall cut ceiling board in the 1<sup>st</sup> floor Living room and replace trap pipe.

The Contractor shall furnish and install one set of bath tub RUVIOUSFUH-140H from TAKARA in each bath room and one set of glass sliding curtain with aluminum frame sitting on the front bathtub edge. Furnish the associated bathtub apron. The glass curtain must protect water leaking to the floor. Use minimum 6mm tempered glass with SRWF ULTRA 600 from SUMITOMO 3M. Top of the glass height shall be close to the ceiling height.

4.6 Wall panel around the bathtubs:

Furnish ceramic wall panel SUMIRIO series from INAX or equivalent and install against existing walls around bathtub after application of 3mm thickness of cation coating. Use model number SLM-930/RF1. Use the manufactured corner beads for the panel ends.

4.7 Furnish and install mixing valves and shower heads TMN40STE3Z from TOTO or equivalent. Furnish the plated type shower heads. Furnish and install height adjustable shower head hook with stainless steel bar.

4.8 The Contractor shall furnish and install one set of 1700mm mirror, one set of toilet paper holder YH45R from TOTO, two sets of cabinet knobs, two sets of towel-hangers, two sets of soap dishes S6N from TOTO, one set of I-shape grab bar in the bathtub TS134GKY8S from TOTO (white), and one set of L-shape grab bar in the bathtub TS134GLCY8S from TOTO (white). The Contractor shall install one set of medicine cabinet equivalent to the existing model. Furnish and install one set of bathrobe hook on each door.

4.9 Furnish wallpaper SG-5666 from SANGETSU and install on the walls outside bathtub surfaces.

4.10 Apply water base flat paint on the ceilings. Apply plaster putty and sandpaper for creating perfect flat surfaces.

4.11 Furnish 4 sets of waterproof type LED down lights and install 1 set on the bathtub, 1 set in center and 2 sets over the

countertop/basin. Motion sensor switches are required with exhaust fans.

4.12 Floor: Furnish ceramic floor tiles IFT-200/SL-33N from INAX and install on the bathroom floors. Cut the tiles with 100mm height and use for baseboard.

## **5. Description of Work for Bathrooms 104:**

### 5.1 Removal and Demolition:

The Contractor shall remove basin cabinets, commodes, mirrors, wall/floor tiles, mixing valves, shower heads, lighting fixtures and any hardware including toilet paper holders, towel hangers. Remain bathtubs.

### 5.2 Basin cabinet:

The Contractor shall furnish and install basin cabinet, acrylic marble countertop, lavatory and faucet. The Contractor shall furnish and install new china countertop lavatory L-2149FC with new faucet LF-B340S of INAX or its equivalent. Furnish and install the acrylic marble counter equivalent to Dupon Corean series for approximately the 700X600mm sized basin countertop with 900X150mm countertop over the toilet. Melamine finishes are required on the cabinet doors and exposed cabinet side and polyester film finishes are required inside the cabinets. The Contractor shall submit the shop drawing of the cabinet and receive approval from the COR prior to the fabrication.

5.3 Commode: Furnish the remodel series of water saving type commode from TOTO. Warm seat heater function is required but no Washlet function. Use White color. Furnish stainless steel built in toilet paper holder TOTO YH63R.

### 5.4 Wall panel around the bathtubs:

Furnish and install acrylic urethane resin base wall panel ARULIGHT series from KYOLITE or equivalent for the walls around the bathtub and bathtub apron if the apron is removable.

5.5 Furnish and install mixing valves and shower heads TMN40STE3Z from TOTO or equivalent. Furnish the plated type shower heads. Furnish and install height adjustable shower head hook with stainless steel bar.

5.6 The Contractor shall furnish and install one set of 1700mm mirror, one set of toilet paper holder YH50 from TOTO, two sets of cabinet knobs, two sets of towel-hangers, two sets of soap dishes S6N from TOTO, one set of I-shape grab bar in the bathtub TS134GKY8S from TOTO, and one set of L-shape grab bar in the bathtub TS134GLCY8S from TOTO. The Contractor shall install one set of medicine cabinet equivalent to the existing model. Furnish and install one set of bathrobe hook on each door.

5.7 Apply water base semi-gloss paint on the remained walls and flat paint on the ceiling. Apply plaster putty and sandpaper for creating perfect flat surfaces.

5.8 Furnish 4 sets of waterproof type LED down lights and install 1 set on the bathtub, 1 set in center and 2 sets over the countertop/basin. Motion sensor switches are required with exhaust fans.

**6. New Floors in Kitchen, Hallway and Bathroom 104:**

Remove existing floors, scrape off the associated mastics, clean the slab surfaces, furnish and install linoleum floor 20FL701 from TOLI or equivalent. Remain existing wood baseboard and apply oil base paint. Gas stove must be restored in next calendar day.

**7. New Floors in Maid bedrooms in 105 and 106:**

Remove existing floors, remove under pads, scrape off the mastics, clean the slab surfaces, furnish and install new wall to wall carpet RP-3 from SANGETSU or equivalent. Remain existing wood baseboard and apply oil base paint.

**8. Floor radiant heating in Living and Dining room:**

8.1 The Contractor shall remove exiting carpets and under pads. Clean the surfaces and apply mortar cement for creating smooth surfaces. Install the electric radiant floors Pier Thermo from ATREC or equivalent. Layout waterproofing sheets. The Contractor shall furnish and install the engineered wood floorings JOY HARDFLOOR NATURAL WOOD TYPE KESWV3SN from PANASONIC or better products matched with foyer's floor finish. The Contractor shall furnish the adhesive. No pin nail is allowed for the installation. The Contractor must make sure that new floor's elevation is equal to the foyer's floor level. Fabricate thresholds to make a natural transition from Dining room to Kitchen. Connect the power cables to new circuit in the breaker panel. Trim the door bottoms for Living - Dining room for lifting the floor level.

8.2 The Contractor shall remove the sliding doors and associated stainless steel bottom rail for dividing Living and Dining rooms. Furnish new sliding doors. Bottom rail must be flush with new floor elevation. Use the same finish as existing doors.

**Section C: Packaging and Marking**

Mark materials delivered to the site as follows:

U.S. Consulate General Sapporo  
Attn: Management Section  
3-1 Kita 1-jo Nishi 28-chome  
Chuo-ku, Sapporo 064-0821  
Japan

## **Section D: Inspection and Acceptance**

D.1 The Contracting Officer's Representative (COR), or his/her authorized representatives, will inspect from time to time the services being performed and the supplies furnished to determine whether work is being performed in a satisfactory manner, and that all supplies are of acceptable quality and standards.

The Contractor shall be responsible for any countermeasures or corrective action, within the scope of this contract, which may be required by the Contracting Officer as a result of such inspection.

### D.2 Substantial Completion

(a) "Substantial Completion" means the stage in the progress of the work as determined and certified by the Contracting Officer in writing to the Contractor, on which the work (or a portion designated by the Government) is sufficiently complete and satisfactory. Substantial completion means that the property may be occupied or used for the purpose for which it is intended, and only minor items such as touch-up, adjustments, and minor replacements or installations remain to be completed or corrected which:

- (1) do not interfere with the intended occupancy or utilization of the work, and
- (2) can be completed or corrected within the time period required for final completion.

(b) The "date of substantial completion" means the date determined by the Contracting Officer or authorized Government representative as of which substantial completion of the work has been achieved.

Use and Possession upon Substantial Completion - The Government shall have the right to take possession of and use the work upon substantial completion. Upon notice by the Contractor that the work is substantially complete (a Request for Substantial Completion) and an inspection by the Contracting Officer or an authorized Government representative (including any required tests), the Contracting Officer shall furnish the Contractor a Certificate of Substantial Completion. The certificate will be accompanied by a Schedule of Defects listing items of work remaining to be performed, completed or corrected before final completion and acceptance. Failure of the Contracting Officer to list any item of work shall not relieve the Contractor of responsibility for complying with the terms of the contract. The Government's possession or use upon substantial completion shall not be deemed an acceptance of any work under the contract.

### D.3 Final Completion and Acceptance

D.3.1 "Final completion and acceptance" means the stage in the progress of the work as determined by the Contracting Officer and confirmed in writing to the Contractor, at which all work required under the contract has been completed in a satisfactory manner, subject to the discovery of defects after final completion, and except for items specifically excluded in the notice of final acceptance.

D.3.2 The "date of final completion and acceptance" means the date determined by the Contracting Officer when final completion of the work has been achieved, as indicated by written notice to the Contractor.

D.3.3 Final Inspection and Tests - The Contractor shall give the Contracting Officer at least five days advance written notice of the date when the work will be fully completed and ready for final inspection and tests. Final inspection and tests will be started not later than the date specified in the notice unless the Contracting Officer determines that the work is not ready for final inspection and so informs the Contractor.

D.3.4 Final Acceptance - If the Contracting Officer is satisfied that the work under the contract is complete (with the exception of continuing obligations), the Contracting Officer shall issue to the Contractor a notice of final acceptance and make final payment upon:

- a) Satisfactory completion of all required tests,
- b) A final inspection that all items by the Contracting Officer listed in the Schedule of Defects have been completed or corrected and that the work is finally complete (subject to the discovery of defects after final completion), and
- c) Submittal by the Contractor of all documents and other items required upon completion of the work, including a final request for payment (Request for Final Acceptance).

**Section E: Deliveries or Performance**

E.1 FAR 52.211-10 Commencement, Prosecution, and Completion of Work (APR 1984)

The Contractor shall be required to:

- (a) commence work under this contract on the date specified in the notice to proceed,
- (b) prosecute the work diligently, and,
- (c) complete the entire work ready for use not later than 45 days after commencement of work.

The time stated for completion shall include final cleanup of the premises and completion of punch list items.

E.2 FAR 52.211-12 Liquidated Damages - Construction (SEP 2000)

- (a) If the Contractor fails to complete the work within the time specified in the contract, or any extension, the Contractor shall pay liquidated damages to the U.S. Government in the amount of ¥50,000 for each calendar day of delay until the work is completed or accepted.
- (b) If the Government terminates the Contractor's right to proceed, liquidated damages will continue to accrue until the work is completed. These liquidated damages are in addition to excess costs of repurchase under the Default clause.

E.3 Contractor's Submission of Construction Schedules

- (a) The time for submission of the schedules referenced in FAR 52.236-15, "Schedules for Construction Contracts", paragraph (a), is hereby modified to reflect the due date for submission as 10 calendar days after receipt of an executed contract".
- (b) These schedules shall include the time by which shop drawings, product data, samples and other submittals required by the contract will be submitted for approval.
- (c) The Contractor shall revise such schedules (1) to account for the actual progress of the work, (2) to reflect approved adjustments in the performance schedule, and (3) as required by the Contracting Officer to achieve coordination with work by the Government and any separate contractors used by the Government. The Contractor shall submit a schedule, which sequences work so as to minimize disruption at the job site.
- (d) All deliverables shall be in the English language and any system of dimensions (English or metric) shown shall be consistent with

that used in the contract. No extension of time shall be allowed due to delay by the Government in approving such deliverables if the Contractor has failed to act promptly and responsively in submitting its deliverables. The Contractor shall identify each deliverable as required by the contract.

(e) Acceptance of Schedule. When the Government has accepted any time schedule; it shall be binding upon the Contractor. The completion date is fixed and may be extended only by a written contract modification signed by the Contracting Officer. Acceptance or approval of any schedule or revision thereof by the Government shall not:

- (1) Extend the completion date or obligate the Government to do so,
- (2) Constitute acceptance or approval of any delay, or
- (3) Excuse the Contractor from or relieve the Contractor of its obligation to maintain the progress of the work and achieve final completion by the established completion date.

#### E.4 Notice of Delay

If the Contractor receives a notice of any change in the work, or if any other conditions arise which are likely to cause or are actually causing delays which the Contractor believes may result in late completion of the project, the Contractor shall notify the Contracting Officer. The Contractor's notice shall state the effect, if any, of such change or other conditions upon the approved schedule, and shall state in what respects, if any, the relevant schedule or the completion date should be revised. The Contractor shall give such notice promptly, not more than ten (10) days after the first event giving rise to the delay or prospective delay. Only the Contracting Officer may make revisions to the approved time schedule.

#### E.5 Notice to Proceed

(a) After receiving and accepting any bonds or evidence of insurance, the Contracting Officer will provide the Contractor a Notice to Proceed. The Contractor must then prosecute the work, commencing and completing performance not later than the time period established in the contract.

(b) It is possible that the Contracting Officer may elect to issue the Notice to Proceed before receipt and acceptance of any bonds or evidence of insurance. Issuance of a Notice to Proceed by the Government before receipt of the required bonds or insurance certificates or policies shall not be a waiver of the requirement to furnish these documents.

#### E.6 Working Hours

All work shall be performed during the hours between 09:00 and 17:00, Monday through Friday, except U.S and Japanese holidays observed by the U.S. Consulate General Sapporo. Other hours, if requested by the Contractor, may be approved by the Contracting Officer's Representative (COR). The Contractor shall give 24 hours in advance to COR who will consider any deviation from the hours identified above. Changes in work hours, initiated by the Contractor, will not be a cause for a price increase.

#### E.7 Preconstruction Conference

A preconstruction conference will be held 10 days after contract award at the U.S. Consulate General Sapporo to discuss the schedule, submittals, notice to proceed, mobilization and other important issues that effect construction progress. See FAR 52.236-26, Preconstruction Conference.

E.8 Deliverables - The following items shall be delivered under this purchase order:

<u>Description</u>	<u>Qty.</u>	<u>Deliver Date</u>	<u>Deliver To</u>
Subsection D.2 Request for Substantial Completion	1	15 days before inspection	COR
Subsection D.3 Request for Final Acceptance	1	5 days before inspection	COR
Subsection E.3 Construction Schedule	1	10 days after award	COR
Subsection E.7 Preconstruction Conference	1	10 days after award	COR
Subsection F.2 Payment Request	1	Last calendar day of each month	COR
Subsection G.2 Insurance	1	10 days after award	CO
Subsection G.5.2 Personnel Biographies	1	10 days after award	COR

**Section F: Administrative Data**

F.1 DOSAR 652.242-70 Contracting Officer's Representative (COR) (AUG 1999)

(a) The Contracting Officer may designate in writing one or more Government employees, by name or position title, to take action for the Contracting Officer under this contract. Each designee shall be identified as a Contracting Officer's Representative (COR). Such designation(s) shall specify the scope and limitations of the authority so delegated; provided, that the designee shall not change the terms or conditions of the contract, unless the COR is a warranted Contracting Officer and this authority is delegated in the designation.

(b) The COR for this contract is Toshiya Ikeda - Management Assistant at the U.S. Consulate General Sapporo.

F.2 Payment

The Contractor's attention is directed to Section H, 52.232-5, "Payments Under Fixed-Price Construction Contracts." The following elaborates on the information contained in that clause:

Requests for payment, may be made no more frequently than monthly. Payment requests shall cover the value of labor and materials completed and in place, including a prorated portion of overhead and profit.

After receipt of the Contractor's request for payment, and on the basis of an inspection of the work, the Contracting Officer shall make a determination as to the amount, which is then due. If the Contracting Officer does not approve payment of the full amount applied for, less the retainage allowed by in 52.232-5, the Contracting Officer shall advise the Contractor as to the reasons.

Under the authority of 52.232-27(a), the 14 day period identified in FAR 52.232-27(a)(1)(i)(A) is hereby changed to 30 days.

The Contractor shall address invoices to:

U.S. Consulate General Sapporo  
Attn: Toshiya Ikeda  
3-1 Kita 1-jo Nishi 28-chome  
Chuo-ku, Sapporo 064-0821

## Section G: Special Requirements

### G.1 Reserved

### G.2 Insurance

The Contractor is required by FAR 52.228-5, "Insurance - Work on a Government Installation" to provide whatever insurance is legally necessary. The Contractor shall at its own expense provide and maintain during the entire performance period the following insurance amounts:

G.2.1 General Liability (includes premises/operations, collapse hazard, products, completed operations, contractual, independent contractors, broad form property damage, personal injury)

1. Bodily Injury on or off the site stated in Japanese Yen:

Per Occurrence	¥30,000,000
Cumulative	¥90,000,000

2. Property Damage on or off the site in Japanese Yen:

Per Occurrence	¥5,000,000
Cumulative	¥15,000,000

G.2.2 The foregoing types and amounts of insurance are the minimums required. The Contractor shall obtain any other types of insurance required by local law or that are ordinarily or customarily obtained in the location of the work. The limit of such insurance shall be as provided by law or sufficient to meet normal and customary claims.

G.2.3 The Contractor agrees that the Government shall not be responsible for personal injuries or for damages to any property of the Contractor, its officers, agents, servants, and employees, or any other person, arising from and incident to the Contractor's performance of this contract. The Contractor shall hold harmless and indemnify the Government from any and all claims arising therefrom, except in the instance of gross negligence on the part of the Government.

G.2.4 The Contractor shall obtain adequate insurance for damage to, or theft of, materials and equipment in insurance coverage for loose transit to the site or in storage on or off the site.

G.2.5 The general liability policy required of the Contractor shall name "the United States of America, acting by and through the Department of State", as an additional insured with respect to operations performed under this contract.

### G.3 Document Descriptions

G.3.1 Supplemental Documents. The Contracting Officer shall furnish from time to time such detailed drawings and other information as is considered necessary, in the opinion of the Contracting Officer, to interpret, clarify, supplement, or correct inconsistencies, errors or omissions in the Contract documents, or to describe minor changes in the work not involving an increase in the contract price or extension of the contract time. The Contractor shall comply with the requirements of the supplemental documents, and unless prompt objection is made by the Contractor within 20 days, their issuance shall not provide for any claim for an increase in the Contract price or an extension of contract time.

G.3.1.1 Record Documents. The Contractor shall maintain at the project site:

- (1) a current marked set of Contract drawings and specifications indicating all interpretations and clarification, contract modifications, change orders, or any other departure from the contract requirements approved by the Contracting Officer; and,
- (2) a complete set of record shop drawings, product data, samples and other submittals as approved by the Contracting Officer.

G.3.1.2 "As-Built" Documents. After final completion of the work, but before final acceptance thereof, the Contractor shall provide:

- (1) a complete set of "as-built" drawings, based upon the record set of drawings, marked to show the details of construction as actually accomplished; and,
- (2) record shop drawings and other submittals, in the number and form as required by the specifications.

### G.4 Laws and Regulations

The Contractor shall, without additional expense to the Government, be responsible for complying with all laws, codes, ordinances, and regulations applicable to the performance of the work, including those of the host country, and with the lawful orders of any governmental authority having jurisdiction. Host country authorities may not enter the construction site without the permission of the Contracting Officer. Unless otherwise directed by the Contracting Officer, the Contractor shall comply with the more stringent of the requirements of such laws, regulations and orders and of the contract. In the event of a conflict between the contract and such laws, regulations and orders, the Contractor shall promptly advise the Contracting Officer of the conflict and of the Contractor's proposed course of action for resolution by the Contracting Officer.

G.4.1 The Contractor shall comply with all local labor laws, regulations, customs and practices pertaining to labor, safety, and similar matters, to the extent that such compliance is not inconsistent with the requirements of this contract.

G.4.2 The Contractor shall give written assurance to the Contracting Officer that all subcontractors and others performing work on or for the project have obtained all requisite licenses and permits.

G.4.3 The Contractor shall submit proper documentation and evidence satisfactory to the Contracting Officer of compliance with this clause.

#### G.5 Construction Personnel

The Contractor shall maintain discipline at the site and at all times take all reasonable precautions to prevent any unlawful, riotous, or disorderly conduct by or among those employed at the site. The Contractor shall ensure the preservation of peace and protection of persons and property in the neighborhood of the project against such action. The Contracting Officer may require, in writing that the Contractor remove from the work any employee that the Contracting Officer deems incompetent, careless, insubordinate or otherwise objectionable, or whose continued employment on the project is deemed by the Contracting Officer to be contrary to the Government's interests.

G.5.1 If the Contractor has knowledge that any actual or potential labor dispute is delaying or threatens to delay the timely performance of this contract, the Contractor shall immediately give notice, including all relevant information, to the Contracting Officer.

G.5.2 After award of the contract, the Contractor has 10 calendar days to submit to the Contracting Officer a list of workers and supervisors assigned to this project for the Government to conduct all necessary security checks. It is anticipated that security checks will take 30 days to perform. Each individual shall complete and submit RSO Tokyo Security Form (see Attachment I-2).

Failure to provide any of the above information may be considered grounds for rejection and/or resubmittal of the application. Once the Government has completed the security screening and approved the applicants a badge will be provided to the individual for access to the site. This badge may be revoked at any time due to the falsification of data, or misconduct on site.

## G.6 Materials and Equipment

All materials and equipment incorporated into the work shall be new and for the purpose intended, unless otherwise specified. All workmanship shall be of good quality and performed in a skillful manner that will withstand inspection by the Contracting Officer.

## G.7 Special Warranties

G.7.1 Any special warranties that may be required under the contract shall be subject to the stipulations set forth in 52.246-21, "Warranty of Construction", as long as they are not in conflict.

G.7.2 The Contractor shall obtain and furnish to the Government all information required to make any subcontractor's, manufacturer's, or supplier's guarantee or warranty legally binding and effective. The Contractor shall submit both the information and the guarantee or warranty to the Government in sufficient time to permit the Government to meet any time limit specified in the guarantee or warranty, but not later than completion and acceptance of all work under this contract.

## G.8 Equitable Adjustments

Any circumstance for which the contract provides an equitable adjustment that causes a change within the meaning of paragraph (a) of the "Changes" clause shall be treated as a change under that clause; provided, that the Contractor gives the Contracting Officer prompt written notice (within 20 days) stating:

- (a) the date, circumstances, and applicable contract clause authorizing an equitable adjustment and
- (b) that the Contractor regards the event as a changed condition for which an equitable adjustment is allowed under the contract.

The Contractor shall provide written notice of a differing site condition within 10 calendar days of occurrence following FAR 52.236-2, Differing Site Conditions.

## G.9 Zoning Approvals and Permits

The U.S. Government shall be responsible for:

- (a) obtaining proper zoning or other land use control approval for the project;
- (b) obtaining the approval of the Contracting Drawings and Specifications;
- (c) paying fees due for the foregoing; and
- (d) obtaining and paying for the initial building permits.

## Section H: Clauses

H.1 This contract incorporates one or more clauses by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. Also, the full text of a clause may be accessed electronically at this/these address(es):

<http://www.acquisition.gov/far/> or  
<http://farsite.hill.af.mil/vffara.htm>

Please note these addresses are subject to change.

If the Federal Acquisition Regulation (FAR) is not available at the locations indicated above, use the Department of State Acquisition website at <http://www.statebuy.state.gov/> to access links to the FAR. You may also use an internet "search engine" (for example, Google, Yahoo, Excite) to obtain the latest location of the most current FAR.

H.2 The following Federal Acquisition Regulation (FAR) clauses are incorporated by reference (48 CFR CH. 1):

<u>Clause</u>	<u>Title and Date</u>
52.202-1	Definitions (NOV 2013)
52.204-9	Personal Verification of Contractor Personnel (JAN 2011)
52.204-10	Reporting Executive Compensation and First-Tier SUBCONTRACT AWARDS (OCT 2015)
52.204-12	Data Universal Numbering System Number Maintenance (DEC 2012)
52.204-13	System for Award Management Maintenance (JUL 2013)
52.204-19	Incorporation by Reference of Representations and Certifications (DEC 2014)
52.209-6	Protecting the Government's Interest when Subcontracting with Contractors Debarred, Suspended or Proposed for Debarment (OCT 2015)
52.209-9	Updates of Information Regarding Responsibility Matters (JUL 2013)
52.213-4	Terms and Conditions - Simplified Acquisitions (Other Than Commercial Items) (OCT 2015)
52.216-7	Allowable Cost and Payment (JUN 2013)
52.222-1	Notice to the Government of Labor Disputes (FEB 1997)
52.222-19	Child Labor - Cooperation with Authorities and Remedies (JAN 2014)
52.222-50	Combating Trafficking in Persons (FEB 2009)
52.223-18	Encouraging Contractor Policies to Ban Text Messaging While Driving (AUG 2011)
52.225-13	Restrictions on Certain Foreign Purchases (JUNE 2008)
52.225-14	Inconsistency between English Version and Translation of Contract (FEB 2000)
52.228-4	Workers' Compensation and War-Hazard Insurance Overseas (APR 1984)
52.228-5	Insurance - Work on a Government Installation (JAN 1997)
52.228-11	Pledges of Assets (JAN 2012)

- 52.228-13 Alternative Payment Protection (JUL 2000)
- 52.228-14 Irrevocable Letter of Credit (NOV 2014)
- 52.229-6 Taxes - Foreign Fixed-Price Contracts (FEB 2013)
- 52.229-7 Taxes - Fixed Price Contracts with Foreign Governments (FEB 2013)
- 52.232-5 Payments Under Fixed-Price Construction Contracts (MAY 2014)
- 52.232-8 Discounts for Prompt Payment (FEB 2002)
- 52.232-11 Extras (APR 1984)
- 52.232-18 Availability of Funds (APR 1984)
- 52.232-22 Limitation of Funds (APR 1984)
- 52.232-25 Prompt Payment (JUL 2013)
- 52.232-27 Prompt Payment for Construction Contracts (MAY 2014)
- 52.232-33 Payment by Electronic Funds Transfer - System for Award Management (JUL 2013)
- 52.232-34 Payment by Electronic Funds Transfer - Other Than System for Award Management (JUL 2013)
- 52.233-1 Disputes (MAY 2014) Alternate I (DEC 1991)
- 52.233-3 Protest After Award (AUG 1996)
- 52.236-2 Differing Site Conditions (APR 1984)
- 52.236-3 Site Investigation and Conditions Affecting the Work (APR 1984)
- 52.236-5 Material and Workmanship (APR 1984)
- 52.236-6 Superintendence by the Contractor (APR 1984)
- 52.236-7 Permits and Responsibilities (NOV 1991)
- 52.236-8 Other Contracts (APR 1984)
- 52.236-9 Protection of Existing Vegetation, Structures, Equipment, Utilities, and Improvements (APR 1984)
- 52.236-10 Operations and Storage Areas (APR 1984)
- 52.236-11 Use and Possession Prior to Completion (APR 1984)
- 52.236-12 Cleaning UP (APR 1984)
- 52.236-14 Availability and Use of Utility Services (APR 1984)
- 52.236-15 Schedules for Construction Contracts (APR 1984)
- 52.236-21 Specifications and Drawings for Construction (FEB 1997)
- 52.236-26 Preconstruction Conference (FEB 1995)
- 52.242-14 Suspension of Work (APR 1984)
- 52.243-4 Changes (JUNE 2007)
- 52.243-5 Changes and Changed Conditions (APR 1984)
- 52.244-6 Subcontracts for Commercial Items (OCT 2015)
- 52.245-2 Government Property Installation Operation Services (APR 2012)
- 52.245-9 Use and Charges (APR 2012)
- 52.246-12 Inspection of Construction (AUG 1996)
- 52.246-17 Warranty of Supplies of a Noncomplex Nature (JUNE 2003)
- 52.246-21 Warranty of Construction (MAR 1994)
- 52.249-2 Termination for Convenience of the Government (Fixed-Price) (APR 2012) Alternate I (SEP 1996)
- 52.249-10 Default (Fixed-Price Construction) (APR 1984)
- 52.249-14 Excusable Delays (APR 1984)

H.3 The following Department of State Acquisition Regulation (DOSAR) clauses are set forth in full text:

DOSAR 652.204-70 Department of State Personal Identification Card Issuance Procedures (MAY 2011)

(a) The Contractor shall comply with the Department of State (DOS) Personal Identification Card Issuance Procedures for all employees performing under this contract who require frequent and continuing access to DOS facilities, or information systems. The Contractor shall insert this clause in all subcontracts when the subcontractor's employees will require frequent and continuing access to DOS facilities, or information systems.

(b) The DOS Personal Identification Card Issuance Procedures may be accessed at <http://www.state.gov/m/ds/rls/rpt/c21664.htm> .

DOSAR 652.229-71 Personal Property Disposition at Posts Abroad (AUG 1999)

Regulations at 22 CFR Part 136 require that U.S. Government employees and their families do not profit personally from sales or other transactions with persons who are not themselves entitled to exemption from import restrictions, duties, or taxes. Should the Contractor experience importation or tax privileges in a foreign country because of its contractual relationship to the United States Government, the Contractor shall observe the requirements of 22 CFR Part 136 and all policies, rules, and procedures issued by the chief of mission in that foreign country.

Contractor Identification (JULY 2008)

Contract performance may require contractor personnel to attend meetings with government personnel and the public, work within government offices, and/or utilize government email.

Contractor personnel must take the following actions to identify themselves as non-federal employees:

- (1) use an e-mail signature block that shows name, the office being supported and company affiliation (e.g. "John Smith, Office of Human Resources, ACME Corporation Support Contractor");
- (2) clearly identify themselves and their contractor affiliation in meetings;
- (3) identify their contractor affiliation in Departmental e-mail and phone listings whenever contractor personnel are included in those listings; and
- (4) Contractor personnel may not utilize Department of State logos or indicia on business cards.

DOSAR 652.236-70 Accident Prevention (APR 2004)

(a) General. The Contractor shall provide and maintain work environments and procedures which will safeguard the public and Government personnel, property, materials, supplies, and equipment exposed to contractor operations and activities; avoid interruptions of Government operations and delays in project completion dates; and, control costs in the performance of this contract. For these purposes, the Contractor shall:

- (1) Provide appropriate safety barricades, signs and signal lights;
- (2) Comply with the standards issued by any local government authority having jurisdiction over occupational health and safety issues; and,
- (3) Ensure that any additional measures the Contracting Officer determines to be reasonably necessary for this purpose are taken.
- (4) For overseas construction projects, the Contracting Officer shall specify in writing additional requirements regarding safety if the work involves:
  - (i) Scaffolding;
  - (ii) Work at heights above two (2) meters;
  - (iii) Trenching or other excavation greater than one (1) meter in depth;
  - (iv) Earth moving equipment;
  - (v) Temporary wiring, use of portable electric tools, or other recognized electrical hazards. Temporary wiring and portable electric tools require the use of a ground fault circuit interrupter (GFCI) in the affected circuits; other electrical hazards may also require the use of a GFCI;
  - (vi) Work in confined spaces (limited exits, potential for oxygen less than 19.5 percent or combustible atmosphere, potential for solid or liquid engulfment, or other hazards considered to be immediately dangerous to life or health such as water tanks, transformer vaults, sewers, cisterns, etc.);
  - (vii) Hazardous materials - a material with a physical or health hazard including but not limited to, flammable, explosive, corrosive, toxic, reactive or unstable, or any operations which creates any kind of contamination inside an occupied building such as dust from demolition activities, paints, solvents, etc.;
  - or
  - (viii) Hazardous noise levels.

(b) Records. The Contractor shall maintain an accurate record of exposure data on all accidents incident to work performed under this contract resulting in death, traumatic injury, occupational disease, or damage to or theft of property, materials, supplies,

or equipment. The Contractor shall report this data in the manner prescribed by the Contracting Officer.

(c) Subcontracts. The Contractor shall be responsible for its subcontractors' compliance with this clause.

(d) Written program. Before commencing work, the Contractor shall:

(1) Submit a written plan to the Contracting Officer for implementing this clause. The plan shall include specific management or technical procedures for effectively controlling hazards associated with the project; and,

(2) Meet with the Contracting Officer to discuss and develop a mutual understanding relative to administration of the overall safety program.

(e) Notification. The Contracting Officer shall notify the Contractor of any non-compliance with these requirements and the corrective actions required. This notice, when delivered to the Contractor or the Contractor's representative on site, shall be deemed sufficient notice of the non-compliance and corrective action required. After receiving the notice, the Contractor shall immediately take corrective action. If the Contractor fails or refuses to promptly take corrective action, the Contracting Officer may issue an order suspending all or part of the work until satisfactory corrective action has been taken. The Contractor shall not be entitled to any equitable adjustment of the contract price or extension of the performance schedule on any suspension of work order issued under this clause.

DOSAR 652.242-73 Authorization and Performance (AUG 1999)

(a) The Contractor warrants the following:

(1) that it has obtained authorization to operate and do business in the country or countries in which this contract will be performed;

(2) that it has obtained all necessary licenses and permits required to perform this contract; and,

(3) that it shall comply fully with all laws, decrees, labor standards, and regulations of said country or countries during the performance of this contract.

(b) If the party actually performing the work will be a subcontractor or joint venture partner, then such subcontractor or joint venture partner agrees to the requirements of paragraph (a) of this clause.

DOSAR 652.243-70 Notices (AUG 1999)

Any notice or request relating to this contract given by either party to the other shall be in writing. Said notice or request shall be mailed or delivered by hand to the other party at the address provided in the schedule of the contract. All modifications to the contract must be made in writing by the Contracting Officer.

**Section I: List of Attachments**

Attachment I-1: Drawings and Copies of Catalog, 35 pages

Attachment I-2: RSO Tokyo Security Form, 4 pages

## Section J: Quotation Information

### J.1 Qualifications of Quoters

Quoters must be technically qualified and financially responsible to perform the work described in this Request for Quotations. At a minimum, each Quoter must meet the following requirements:

- (1) be able to understand written and spoken English;
- (2) have an established business with a permanent address and telephone listing;
- (3) be able to demonstrate prior construction experience with suitable references;
- (4) have the necessary personnel, equipment and financial resources available to perform the work;
- (5) have all licenses and permits required by local law;
- (6) meet all local insurance requirements;
- (7) have the ability to obtain or to post adequate performance security, such as bonds, irrevocable letters of credit or guarantees issued by a reputable financial institution;
- (8) have no adverse criminal record; and
- (9) have no political or business affiliation which could be considered contrary to the interests of the United States.

### J.2 Submission of Quotations

This Request for Quotation is for the performance of the construction services described in Section B: Statement of Work, which are a part of this Request for Quotations.

Each quotation must consist one copy of the following:

- (a) Volume 1 - Standard Form (SF) 18. Volume 1 consists of completion of blocks 11(f), 13a, 14, 15, 16a, 16b, and 16c of SF-18.
- (b) Volume 2 - Price. Volume 2 consists of Section A: Price.
- (c) Volume 3 - Representations and Certifications. Volume 3 consists of Section L: Representations, Certifications, and Other Statements of Quoters (complete all portions that are applicable).

Submit the complete quotation by no later than 12:00 noon, Monday, May 23, 2016, to Toshiya Ikeda of U.S. Consulate General Sapporo, via FAX at 011-641-1180 or e-mail at IkedaTX@state.gov.

No quotation will be accepted after this time.

The Offeror shall identify and explain/justify any deviations, exceptions, or conditional assumptions taken with respect to any of the instructions or requirements of this solicitation in the appropriate volume of the offer.

J.3 FAR 52.236-27 Site Visit (Construction) (FEB 1995)

(a) The clauses at 52.236-2, Differing Site Conditions, and 52.236-3, Site Investigations and Conditions Affecting the Work, will be included in any contract awarded as a result of this Request for Quotations. Accordingly, quoters are urged and expected to inspect the site where the work will be performed.

(b) A site visit has been scheduled for Tuesday, May 10, 2016 at 13:00 p.m.

(c) Participants shall meet at the U.S. Consulate General Sapporo, located at Kita 1-jo Nishi 28-chome, Chuo-ku, Sapporo 064-0821, Japan.

J.4 Magnitude of Construction Project

It is anticipated that the range in price of this contract will be: Between \$100,000 and \$250,000.

J.5 Late Quotations

Late quotations shall be handled in accordance with FAR.

J.6 FAR 52.252-1 Solicitation Provisions Incorporated by Reference (FEB 1998)

This contract incorporates the following provisions by reference, with the same force and effect as if they were given in full text. Upon request, the Contracting Officer will make their full text available. The offeror is cautioned that the listed provisions may include blocks that must be completed by the offeror and submitted with its quotation or offer. In lieu of submitting the full text of those provisions, the offeror may identify the provision by paragraph identifier and provide the appropriate information with its quotation or offer. Also, the full text of a solicitation provision may be accessed electronically at:

<http://acquisition.gov/far/index.html/> or  
<http://farsite.hill.af.mil/vffara.htm>

Please note these addresses are subject to change.

If the Federal Acquisition Regulation (FAR) is not available at the locations indicated above, use the Department of State Acquisition website at <http://www.statebuy.state.gov> to access the link to the FAR, or use of an Internet "search engine" (for example, Google, Yahoo or Excite) is suggested to obtain the latest location of the most current FAR.

J.7 The following Federal Acquisition Regulation provisions are incorporated by reference (48 CFR CH. 1):

<u>Provision</u>	<u>Title and Date</u>
52.204-6	Data Universal Numbering System (DUNS) Number (JUL 2013)
52.204-7	System for Award Management (JUL 2013)
52.204-16	Commercial and Government Entity Code Reporting (NOV 2014)
52.214-34	Submission of Offers in the English Language (APR 1991)
52.215-1	Instructions to Offerors - Competitive Acquisition (JAN 2004)

## **Section K: Evaluation Criteria**

### K.1 Evaluation of Quotations

(a) Award will be made to the lowest priced, responsible quoter. The U.S. Government reserves the right to reject quotations that are unreasonably low or high in price.

(b) Although the award is to be made to the lowest priced offeror, the U.S. Government may request a list of experience/past performance, licenses/permits if required, and financial statements to determine whether or not the offeror is a responsible contractor. Failure of a quoter to comply with a request for this information may cause the U.S. Government to determine the quoter to be non-responsive.

K.2 The U.S. Government will determine acceptability by assessing the offeror's compliance with the terms of the RFQ. The U.S. Government will determine responsibility by analyzing whether the apparent successful quoter complies with the requirements of FAR 9.1, including:

(a) ability to comply with the required performance period, taking into consideration all existing commercial and governmental business commitments;

(b) satisfactory record of integrity and business ethics;

(c) necessary organization, experience, and skills or the ability to obtain them;

(d) necessary equipment and facilities or the ability to obtain them; and

(e) otherwise qualified and eligible to receive an award under applicable laws and regulations.

K.3 The U.S. Government intends to award a contract to the responsible company submitting an acceptable quote at the lowest price. We intend to award a contract based on initial quotations, without holding discussions, although we may hold discussions with companies in the competitive range if there is a need to do so.

**Section L: Representations, Certifications, and Other Statements of Quoters**

L.1 FAR 52.204-3 Taxpayer Identification (OCT 1998)

(a) Definitions:

"Common parent", as used in this provision, means that corporate entity that owns or controls an affiliated group of corporations that files its Federal income tax returns on a consolidated basis, and of which the offeror is a member.

"Taxpayer Identification Number (TIN)", as used in this provision, means the number required by the IRS to be used by the offeror in reporting income tax and other returns. The TIN may be either a Social Security Number or an Employer Identification Number.

(b) All offerors must submit the information required in paragraphs (d) through (f) of this provision in order to comply with debt collection requirements of 31 U.S.C. 7701(c) and 3325 (d), reporting requirements of 26 USC 6041, 6041A, and 6050M and implementing regulations issued by the Internal Revenue Service (IRS). If the resulting contract is subject to the reporting requirements described in FAR 4.904, the failure or refusal by the offeror to furnish the information may result in a 31 percent reduction of payments otherwise due under the contract.

(c) The TIN may be used by the Government to collect and report on any delinquent amounts arising out of the offeror's relationship with the Government (31 USC 7701( c)(3)). If the resulting contract is subject to the payment reporting requirements described in FAR 4.904, the TIN provided hereunder may be matched with IRS records to verify the accuracy of the offeror's TIN.

(d) Taxpayer Identification Number (TIN)

TIN: \_\_\_\_\_

\_\_\_ TIN has been applied for.

\_\_\_ TIN is not required because:

\_\_\_ Offeror is a nonresident alien, foreign corporation, or foreign partnership that does not have income effectively connected with the conduct of a trade or business in the U.S. and does not have an office or place of business or a fiscal paying agent in the U.S.;

\_\_\_ Offeror is an agency or instrumentality of a foreign government;

\_\_\_ Offeror is an agency or instrumentality of the Federal Government.

(e) Type of Organization

\_\_\_ Sole Proprietorship;

\_\_\_ Partnership;

\_\_\_ Corporate Entity (not tax exempt);

Corporate Entity (tax exempt);  
 Government entity (Federal, State, or local);  
 Foreign government;  
 International organization per 26 CFR 1.6049-4;  
 Other \_\_\_\_\_

(f) Common Parent

Offeror is not owned or controlled by a common parent as defined in paragraph (a) of this clause.

Name and TIN of common parent;

Name: \_\_\_\_\_

TIN: \_\_\_\_\_

L.2 FAR 52.204-8 Annual Representations and Certifications (DEC 2014)

(a)

(1) The North American Industry Classification System (NAICS) code(s) for this acquisition is:

236118 - Construction Management, residential remodeling

(2) The small business size standard is \$36.5 million dollars.

(3) The small business size standard for a concern which submits an offer in its own name, other than on a construction or service contract, but which proposes to furnish a product which it did not itself manufacture, is 500 employees.

(b)

(1) If the provision at 52.204-7, System for Award Management, is included in this solicitation, paragraph (d) of this provision applies.

(2) If the provision at 52.204-7 is not included in this solicitation, and the offeror is currently registered in the System for Award Management (SAM), and has completed the Representations and Certifications section of SAM electronically, the offeror may choose to use paragraph (d) of this provision instead of completing the corresponding individual representations and certifications in the solicitation. The offeror shall indicate which option applies by checking one of the following boxes:

(i) Paragraph (d) applies.

(ii) Paragraph (d) does not apply and the offeror has completed the individual representations and certifications in the solicitation.

(c)

(1) The following representations or certifications in SAM are applicable to this solicitation as indicated:

(i) 52.203-2, Certificate of Independent Price Determination. This provision applies to solicitations when a firm-fixed-price contract or fixed-price contract with economic price adjustment is contemplated, unless-

- (A) The acquisition is to be made under the simplified acquisition procedures in Part 13;
  - (B) The solicitation is a request for technical proposals under two-step sealed bidding procedures; or
  - (C) The solicitation is for utility services for which rates are set by law or regulation.
- (ii) 52.203-11, Certification and Disclosure Regarding Payments to Influence Certain Federal Transactions. This provision applies to solicitations expected to exceed \$150,000.
  - (iii) 52.204-3, Taxpayer Identification. This provision applies to solicitations that do not include the provision at 52.204-7, System for Award Management.
  - (iv) 52.204-5, Women-Owned Business (Other Than Small Business). This provision applies to solicitations that—
    - (A) Are not set aside for small business concerns;
    - (B) Exceed the simplified acquisition threshold; and
    - (C) Are for contracts that will be performed in the United States or its outlying areas.
  - (v) 52.209-2, Prohibition on Contracting with Inverted Domestic Corporations—Representation. This provision applies to solicitations using funds appropriated in fiscal years 2008, 2009, 2010, or 2012.
  - (vi) 52.209-5, Certification Regarding Responsibility Matters. This provision applies to solicitations where the contract value is expected to exceed the simplified acquisition threshold.
  - (vii) 52.214-14, Place of Performance—Sealed Bidding. This provision applies to invitations for bids except those in which the place of performance is specified by the Government.
  - (viii) 52.215-6, Place of Performance. This provision applies to solicitations unless the place of performance is specified by the Government.
  - (ix) 52.219-1, Small Business Program Representations (Basic & Alternate I). This provision applies to solicitations when the contract will be performed in the United States or its outlying areas.
    - (A) The basic provision applies when the solicitations are issued by other than DoD, NASA, and the Coast Guard.
    - (B) The provision with its Alternate I applies to solicitations issued by DoD, NASA, or the Coast Guard.
  - (x) 52.219-2, Equal Low Bids. This provision applies to solicitations when contracting by sealed bidding and the contract will be performed in the United States or its outlying areas.
  - (xi) 52.222-22, Previous Contracts and Compliance Reports. This provision applies to solicitations that include the clause at 52.222-26, Equal Opportunity.
  - (xii) 52.222-25, Affirmative Action Compliance. This provision applies to solicitations, other than those for construction, when the solicitation includes the clause at 52.222-26, Equal Opportunity.
  - (xiii) 52.222-38, Compliance with Veterans' Employment Reporting Requirements. This provision applies to solicitations when it is anticipated the contract award will exceed the simplified

acquisition threshold and the contract is not for acquisition of commercial items.

(xiv) 52.223-1, Biobased Product Certification. This provision applies to solicitations that require the delivery or specify the use of USDA-designated items; or include the clause at 52.223-2, Affirmative Procurement of Biobased Products Under Service and Construction Contracts.

(xv) 52.223-4, Recovered Material Certification. This provision applies to solicitations that are for, or specify the use of, EPA-designated items.

(xvi) 52.225-2, Buy American Act Certificate. This provision applies to solicitations containing the clause at 52.225-1.

(xvii) 52.225-4, Buy American Act-Free Trade Agreements-Israeli Trade Act Certificate. (Basic, Alternates I, II, and III.) This provision applies to solicitations containing the clause at 52.225-3.

(A) If the acquisition value is less than \$25,000, the basic provision applies.

(B) If the acquisition value is \$25,000 or more but is less than \$50,000, the provision with its Alternate I applies.

(C) If the acquisition value is \$50,000 or more but is less than \$79,507, the provision with its Alternate II applies.

(D) If the acquisition value is \$79,507 or more but is less than \$100,000, the provision with its Alternate III applies.

(xviii) 52.225-6, Trade Agreements Certificate. This provision applies to solicitations containing the clause at 52.225-5.

(xix) 52.225-20, Prohibition on Conducting Restricted Business Operations in Sudan-Certification. This provision applies to all solicitations.

(xx) 52.225-25, Prohibition on Contracting with Entities Engaging in Certain Activities or Transactions Relating to Iran-Representation and Certifications. This provision applies to all solicitations.

(xxi) 52.226-2, Historically Black College or University and Minority Institution Representation. This provision applies to solicitations for research, studies, supplies, or services of the type normally acquired from higher educational institutions.

(2) The following certifications are applicable as indicated by the Contracting Officer:

\_\_\_ (i) 52.219-17, Ownership or Control of Offeror.

\_\_\_ (ii) 52.222-18, Certification Regarding Knowledge of Child Labor for Listed End Products.

\_\_\_ (iii) 52.222-48, Exemption from Application of the Service Contract Act to Contracts for Maintenance, Calibration, or Repair of Certain Equipment Certification.

\_\_\_ (iv) 52.222-52, Exemption from Application of the Service Contract Act to Contracts for Certain Services-Certification.

\_\_\_ (v) 52.223-9, with its Alternate I, Estimate of Percentage of Recovered Material Content for EPA-Designated Products (Alternate I only).

\_\_\_ (vi) 52.227-6, Royalty Information.

\_\_\_ (A) Basic.

\_\_\_\_(B) Alternate I.  
\_\_\_\_(vii) 52.227-15, Representation of Limited Rights Data and Restricted Computer Software.

(d) The offeror has completed the annual representations and certifications electronically via the SAM website accessed through <https://www.acquisition.gov>. After reviewing the SAM database information, the offeror verifies by submission of the offer that the representations and certifications currently posted electronically that apply to this solicitation as indicated in paragraph (c) of this provision have been entered or updated within the last 12 months, are current, accurate, complete, and applicable to this solicitation (including the business size standard applicable to the NAICS code referenced for this solicitation), as of the date of this offer and are incorporated in this offer by reference (see FAR 4.1201); except for the changes identified below [offeror to insert changes, identifying change by clause number, title, date]. These amended representation(s) and/or certification(s) are also incorporated in this offer and are current, accurate, and complete as of the date of this offer.

FAR CLAUSE #	TITLE	DATE	CHANGE
--------------	-------	------	--------

Any changes provided by the offeror are applicable to this solicitation only, and do not result in an update to the representations and certifications posted on SAM.

### L.3 FAR 52.225-18 Place of Manufacture (SEP 2006)

- (a) Definitions. As used in this clause –  
“Manufactured end product” means any end product in Federal Supply Classes (FSC) 1000-9999, except–
- (1) FSC 5510, Lumber and Related Basic Wood Materials;
  - (2) Federal Supply Group (FSG) 87, Agricultural Supplies;
  - (3) FSG 88, Live Animals;
  - (4) FSG 89, Food and Related Consumables;
  - (5) FSC 9410, Crude Grades of Plant Materials;
  - (6) FSC 9430, Miscellaneous Crude Animal Products, Inedible;
  - (7) FSC 9440, Miscellaneous Crude Agricultural and Forestry Products;
  - (8) FSC 9610, Ores;
  - (9) FSC 9620, Minerals, Natural and Synthetic; and
  - (10) FSC 9630, Additive Metal Materials.

“Place of manufacture” means the place where an end product is assembled out of components, or otherwise made or processed from raw materials into the finished product that is to be provided to

the Government. If a product is disassembled and reassembled, the place of reassembly is not the place of manufacture.

(b) For statistical purposes only, the offeror shall indicate whether the place of manufacture of the end products it expects to provide in response to this solicitation is predominantly-

(1) [ ] In the United States (Check this box if the total anticipated price of offered end products manufactured in the United States exceeds the total anticipated price of offered end products manufactured outside the United States); or

(2) [ ] Outside the United States.

#### L.4 Authorized Contract Administrator

If the offeror does not fill-in the blanks below, the official who signed the offer will be deemed to be the offeror's representative for Contract Administration, which includes all matters pertaining to payments.

Name: \_\_\_\_\_

Address: \_\_\_\_\_

Telephone Number: \_\_\_\_\_ Fax Number: \_\_\_\_\_

[Quotation Note: If the quoter has indicated "yes" in blocks (a) (1), (2), or (3) of the following provision, the quoter shall include Defense Base Act insurance costs covering those employees in their proposed prices. The quoter may obtain DBA insurance directly from any Department of Labor approved providers at the DOL website at <http://www.dol.gov/owcp/dlhwc/lscarrier.htm>.]

L.5 DOSAR 652.228-70 Defense Base Act - Covered Contractor Employees (JUN 2006)

(a) Quoters shall indicate below whether or not any of the following categories of employees will be employed on the resultant contract, and, if so, the number of such employees:

Category	Yes/No	Number
(1) United States citizens or residents		
(2) Individuals hired in the United States, regardless of citizenship		
(3) Local nationals or third country nationals where contract performance takes place in a country where there are no local workers' compensation laws		Local Nationals: _____ Third Country Nationals:
(4) Local nationals or third country nationals where contract performance takes place in a country where there are local workers' compensation laws		Local Nationals: _____ Third Country Nationals:

(b) The contracting officer has determined that for performance in the country of Japan -

Workers' compensation laws exist that will cover local nationals and third country nationals.

Workers' compensation laws do not exist that will cover local nationals and third country nationals.

(c) If the offeror has indicated "yes" in block (a)(4) of this provision, the offeror shall not purchase Defense Base Act insurance for those employees. However, the offeror shall assume liability toward the employees and their beneficiaries for war-hazard injury, death, capture, or detention, in accordance with the clause at FAR 52.228-4.

(d) Reserved.

L.6 652.209-79 REPRESENTATION BY CORPORATION REGARDING AN UNPAID DELINQUENT TAX LIABILITY OR A FELONY CRIMINAL CONVICTION UNDER ANY FEDERAL LAW (SEPT 2014) (DEVIATION per PIB 2014-21)

(a) In accordance with section 7073 of Division K of the Consolidated Appropriations Act, 2014 (Public Law 113-76) none of the funds made available by that Act may be used to enter into a contract with any corporation that -

(1) Was convicted of a felony criminal violation under any Federal law within the

preceding 24 months, where the awarding agency has direct knowledge of the conviction, unless the agency has considered, in accordance with its procedures, that this further action is not necessary to protect the interests of the Government; or


(2) Has any unpaid Federal tax liability that has been assessed for which all judicial and administrative remedies have been exhausted or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability, where the awarding agency has direct knowledge of the unpaid tax liability, unless the Federal agency has considered, in accordance with its procedures, that this further action is not necessary to protect the interests of the Government.

For the purposes of section 7073, it is the Department of State's policy that no award may be made to any corporation covered by (1) or (2) above, unless the Procurement Executive has made a written determination that suspension or debarment is not necessary to protect the interests of the Government.


(b) Offeror represents that—

(1) It is [ ] is not [ ] a corporation that was convicted of a felony criminal violation under a Federal law within the preceding 24 months.

(2) It is [ ] is not [ ] a corporation that has any unpaid Federal tax liability that has been assessed for which all judicial and administrative remedies have been exhausted or have lapsed, and that is not being paid in a timely manner pursuant to an agreement with the authority responsible for collecting the tax liability.




CGR 1ST FLOOR PLAN




2ND FLOOR PLAN

SCALE 1:100



POWDER ROOM

SCALE 1:20



BATHROOM 206/207

SCALE 1:20

## ハイクオリティ洗面器(大形)

LS911CR  
91,500円(税込98,820円)  
W:600xD:450xH:70



#NW1 ホワイト

POWDER ROOM - BASIN ON COUNTER TOP

## ハイクオリティ洗面器(小形)

LS910CR  
81,200円(税込87,696円)  
W:460xD:460xH:55



#NW1 ホワイト



---

**アクアオート(自動水栓)コンテンポラリタイプ**

---

TENA13AL 2015年10月発売  
(壁付き)(単水栓、AC100V)

101,300円(税込109,404円)  
スバウト長さ:175  
取付穴:φ30



TENA23AL 2015年10月発売  
(壁付き)(サーモスタット、AC100V)

140,000円(税込151,200円)  
スバウト長さ:175  
取付穴:φ30

---

**アクアオート(自動水栓 オールインワンタイプ)**

---

TEXN20A  
[サーモスタット、発電]

150,000円(税込162,000円)  
スバウト長さ:127  
取付穴:φ35  
※スバウト上面:樹脂仕様



POWDER ROOM - AUTO FLOW FAUCET

---

# TOTO


You are here: [Home](#) ▶ [Products](#) ▶ [Suite Collection](#) ▶ [NEOREST](#)

## NEOREST



**NEOREST** Transform your home into a haven of well-being. The Neorest collection seamlessly combines technology, comfort, and design to make everyday life more pleasant and

- convenient.
- Toilets
- Lavatories
- Bathtubs
- Faucets
- Accessories

*POWDER ROOM / BATH ROOMS  
TOILET*

CW993VA/ TCF993	CW996P/ TCF996W	CW992VA/TCF992V	CW994P/TCF994W	CS985VA/TCF9786WA
Neorest XH II	Neorest LE II	NEOREST XH I	NEOREST LE I	NEOREST AH

ダウンロード - Google Chrome

iinavi.inax.lixil.co.jp/products/kenzai/search/cgfile.php?m=0&file=152768504



ダウンロード

POWDER ROOM  
MARBLE TILES

EN English (United States) Help 2:57 PM 2/22/2016

Docume...  
Bathroo...  
RE: POR ...  
Inbox - ...  
INAX い...  
ダウンロード...

タイル 石材 フローリング レンガ&ガーデニング ウッドデッキ 副資材

新規会員

会員ログイン

ようこそ ゲスト 様

初めての方へ

ご利用ガイド

送料について

サンプル

お問合せ

タイルライフのトップ > 石材 > 御影石 > 600角本磨き御影石 > インパラブラック 600角本磨き 御影石 (メーカー: XRO) 12245XRO

商品を検索する

### 600角本磨き御影石

前の商品 | 次の商品

商品名 : インパラブラック 600角本磨き 御影石 (メーカー: XRO)  
品番 : 12245XRO

要問合せ品?

初めての方へ

セールや新着情報をお知らせ!  
最新情報はメールマガジンで♪  
詳しくはこちら



販売価格 ¥13,608/ケース (税込)

m2換算価格 ¥18,926/m2 (税込)

標準価格 ¥33,856/ケース (税込)

m2標準価格 ¥47,087/m2 (税込)

割引率 標準価格の60%OFF

サイズ 長辺:600mm × 短辺:600mm × 厚み:20.0mm

ケース入数 2枚 (約0.719 m2)

ケース重量 40.4 Kg

在庫数 常備品 ?

出荷所要日数 決済確認後 営業日後の出荷 ?

クレジット決済で 2月23日 13:00時まで にご注文の場合、  
最短出荷予定日 2月24日 となります。

※ お見積対応や出荷メーカーが異なる場合は対象外です。 ?

出荷エリア 中部エリア から出荷 ?

送料 別途 (送料確認) ボタンより、見積りをご依頼ください ?

返品について お客様都合での返品不可 ?

利用可能 決済方法 銀行振込(前払い) 代金引換払い クレジット

+ 商品説明 + 別サイズ&役物 + ご注文&サンプルはこちら

#### 商品カテゴリ

##### 大理石

- 300角 大理石
- 400角 大理石
- 600×300 大理石
- 600角 大理石
- ライムストーン

出荷の早い大理石

##### 大理石モザイク

- 大理石モザイク
- 大理石モザイク パターン

出荷の早い大理石モザイク

##### 御影石

- 300角本磨き御影石
- 300角バーナー御影石
- 400角本磨き御影石
- 400角バーナー御影石
- 600×300本磨き御影石
- 600×300バーナー御影石
- 600角本磨き御影石
- 600角バーナー御影石
- ピシャン仕上げ 御影石

出荷の早い御影石

##### 石材

- 乱形石材 (割り肌)
- 方形石材 (割り肌)
- 壁用石材・セメント系人造石
- アンティーク調石材 (ラフエッジ)
- 人造石材 (本磨き仕上げ)

出荷の早い石材

##### 石材調シート

##### 役物石材



画像をクリックして拡大イメージを表示

POWDER ROOM  
GRANITE COUNTERTOP

#### カラーバリエーション

(メーカー・シリーズ・サイズ・仕上げが同じで、別カラーの商品を表示)



タイルライフ品番 12245XRO

商品説明



## Architectural Markets

[Architectural Markets](#) | [Glass Finishes](#) | [Lighting](#) | [Installations](#) | [Resources](#)[My Samples \(0\)](#)[United States](#) > [Commercial Solutions](#) > [Architectural Markets](#) > [Architectural Finishes](#) > [Surface Finishes](#) > 3M™ DI-NOC™ White, Neutral & Brown, Wood, FW-1258

## 3M™ DI-NOC™ White, Neutral & Brown, Wood, FW-1258

3M ID JR420089955

[Print](#)

3M™ DI-NOC™ Architectural Finishes are decorative surface finishes available in 500+ designs at a budget-friendly price. 3M DI-NOC designs offer the warmth of wood grain. The sleek feel of metal. The cool of natural stone. Specify them and you won't think faux - you'll think, fantastic.

- **Aesthetics** - DI-NOC architectural finishes resemble natural materials and other types of surfaces to an astonishing degree. They deliver the look you want, at the price you need.
- **Remodel and Reuse** - They go up fast, with less likelihood of error and waste, and bring life to existing assets.
- **Easy Application** - 3M Comply™ Adhesive Technology is repositionable and virtually eliminates bubbles, simplifying and speeding application. Yet it bonds powerfully to many substrates.

[Add a Sample](#)

POWDER ROOM -  
WALL PANEL FINISH.

**Need Help?**

**Questions?** We can help  
[Contact Us](#)

**Overview****Documents**

You should insist on DI-NOC™ Architectural Finishes because it is lightweight and self-adhering, and can be applied on site to the existing substrate, reducing labor and material cost compared to natural materials. With DI-NOC™ products, you create a whole new look, quickly and inexpensively, but not at the expense of aesthetics, thanks to its uncanny resemblance to natural materials. Use this product for both renovations or new construction.

3M™ DI-NOC™ Architectural Finishes are decorative surface finishes available in 500+ designs at a budget-friendly price. 3M DI-NOC designs offer the warmth of wood grain. The sleek feel of metal. The cool of natural stone. Specify them and you won't think faux - you'll think, fantastic.

**Specifications**

<b>Certifications</b>	Class A - Fire Classification
<b>Cleaning</b>	Water-based
<b>Color</b>	White, Neutral & Brown
<b>CSI</b>	Division 9
<b>Digitally Cuttable</b>	Customer Test & Approve
<b>Emission Testing</b>	CA Specification 01350
<b>LEED Points</b>	Yes
<b>Material Type</b>	Vinyl
<b>Opacity</b>	Opaque
<b>Pattern Scale</b>	Medium
<b>Printable</b>	Customer Test & Approve
<b>Product Code</b>	FW-1258
<b>Product Usage</b>	Interior
<b>Roll Size</b>	4 ft x 164 ft

住設ドットコムなら工事全国対応!「あんしん保証」で購入後も安心!

初めての方へ

ご利用ガイド

よくあるご質問

会社紹介

お客様サポート

ようこそ住設ドットコムへ! 現在265名様がお買い物中です。 最終更新日: 2016年2月22日(月)



住宅設備専門店 [住設ドットコム]

お問い合わせフリーダイヤル

0120-107-244

お問い合わせメールアドレス

support@jyusetu.com

あんしん保証  
プラス一覧商品+工事  
無料見積もり

カートを見る

ホーム

配送について

支払いについて

取付・取替工事の流れ

DIY・自分で取付


施工例集

お問い合わせ

# POWDER ROOM - PAPER TOWEL HOLDER (BUILT-IN TYPE)

ホーム &gt; トイレ &gt; 収納・その他トイレ部材 &gt; ペーパータオル・ダストボックス &gt; ペーパータオルホルダー[埋込形]

## ペーパータオルホルダー[埋込形]

メーカー: INAX  
品番: **KF-17A**

メーカー希望価格: 9,300円(税別)が...

55%OFF!!

販売価格: **4,185円(税別)**

[4,519円(税込)]

選択してください

数量 1 個



カートに入れる



商品図面をダウンロード



EC保証サービス トラストマークとは?

ツイート

画像②ありません

画像③ありません

拡大

拡大



アクセサリ  
取付工事  
【3箇所まで】  
10,000円(税別)  
[10,800円(税込)]

### 商品説明 Item description

#### 【規格・特徴】

- ・寸法: 298×61(埋込部58)×163
- ・材質: ステンレス (ヘアライン)
- ・ペーパータオル (KF-16P (別売))は130枚収納可能です。

ペーパータオルホルダー[埋込形]

ホーム&amp;キッチン

カテゴリー

Amazonポイント: 1,000  
マイストア ギフト券

タイムセール Amazonで売る

大上 文隆さん  
アカウントサービス今すぐ確認  
プライム1  
カートほしい物  
リスト

ホーム&amp;キッチン Amazonランキング キッチン用品・食器 インテリア・雑貨 ラグ・カーテン 家具 収納 寝具 掃除・洗濯・バス・トイレ 防犯・防災

ホーム&amp;キッチン &gt; バス・トイレ・洗面用品 &gt; バス用品 &gt; ソープ・シャンプー用ディスペンサー



画像にマウスを合わせると拡大されます

eva-solo ソープディスペンサー satin  
567791Eva Solo  
カスタマーレビューを書きませんか?参考価格: ¥ 11,880  
価格: ¥ 11,400  
OFF: ¥ 480 (4%)

残り1点 ご注文はお早めに 在庫状況について

住所からお届け予定日を確認

185-0012 - 東京都国分寺市本町 詳細

2/23 火曜日 にお届けするには、今から17時間34分以内に「お急ぎ便」または「当日お急ぎ便」を選択して注文を確定してください(有料オプション。Amazonプライム会員は無料)

この商品は、Vita Augstaが販売し、Amazon.co.jp が発送します。返品については出品者のリンクからご確認ください。この出品商品には代金引換とコンビニ・ATM・ネットバンキング・電子マネー払いが利用できます。ギフトラッピングを利用できます。

新品の出品: 5 ¥ 11,118より

- サイズ:縦18cm × 底面直径約5cm(設置に必要な面積) 横最大部分約8cm
- 容量 約200ml
- 素材:ステンレススチール+樹脂
- 原産国:デンマーク
- デザイン: TOOLS Design

シェアする

カートに入れる

1-Click 注文を有効にしてください

ほしい物リストに追加する

こちらからもご購入いただけます

¥ 11,118 カートに入れる  
+ ¥ 690 関東への配送料  
発売元: ワイズ マート¥ 14,256 カートに入れる  
発売元: Richboy¥ 14,256 カートに入れる  
+ 関東への配送料無料  
発売元: おとこものや-男小物屋-

新品の出品: 5 ¥ 11,118より

POWDER ROOM  
SOAP DISPENSER

お知らせ: 「ショッピングカートに入れる」ボタンをクリックすると、Amazonマーケットプレイス®の商品がカートに入ります。マーケットプレイスの商品は、出品者によって配送料が異なります。(詳しくはこちら) マーケットプレイスからの新品/中古品購入は簡単&amp;安全!

出品者のコメント: Amazon配送センターからの出荷ですので、「Amazonギフト包装」もご利用になれます。Amazon専用在庫ですので欠品はございません。その他、お問い合わせはAmazonカスタマーサービスでも対応いたしますのでご安心です。クレジットカードほか多くの支払方法がご利用可能です。

## キャンペーンおよび追加情報

- バス・トイレ・洗面用品 カテゴリー: タオル | てぬぐい | バスタオル | バスチェア | 浴室足ふきマット | シャワーヘッド | タオル掛け・タオルスタンド | 歯ブラシスタンド | 歯磨きコップ | トイレポット | トイレブラシ
- キャンペーン: 【500円~2,500円OFF】AKGブランドの高音質イヤホン・ヘッドホンとカテゴリー「ホーム&キッチン」全商品とのまとめ買いキャンペーン 2/29まで。今すぐチェック

## この商品をチェックした人はこんな商品もチェックしています

simplehuman センサー  
ソープディスペンサー  
222ml ホワイト ST1037umbra OTTO SENSOR  
PUMP(オートセンサーボ  
ンプ) ホワイト/クロムumbra OTTO SENSOR  
PUMP(オートセンサーボ  
ンプ) ニッケル/ブラックDRETEC 【手をかざすだ  
け】オートディスペンサ  
ー ホワイト SD-904WTノータッチ式ディスペンサ  
ー エレフォーム UD-  
6000F

DIY・工具

カテゴリー

Amazonポイント: 1,000  
マイストア ギフト券

タイムセール Amazonで売る

大上 文隆さん  
アカウントサービス今すぐ確認  
プライム

1 カート

ほしい物  
リスト

DIY・工具 電動工具 電動工具アクセサリ 作業工具 大工道具 ガーデニング エクステリア 住宅用設備 リフォーム パーゲン

ホーム&amp;キッチン &gt; 家電 &gt; 生活家電 &gt; シャワートイレ



画像をクリックして拡大イメージを表示

## LIXIL INAX ダブルフック KF-28

LIXIL

カスタマーレビューを書きませんか？

価格: ¥ 3,281

残り2点 (入荷予定あり) 在庫状況について

住所からお届け予定日を確認

185-0012 - 東京都国分寺市本町 詳細

2/23 火曜日にお届けするには、今から17時間13分以内に「お急ぎ便」または「当日お急ぎ便」を選択して注文を確定してください (有料オプション。Amazonプライム会員は無料)

この商品は、Amazon.co.jp が販売、発送します。ギフトラッピングを利用できます。

新品の出品: 2 ¥ 3,068より

シェアする

数量: 1

カートに入れる

1-Click 注文を有効にしてください

ほしい物リストに追加する

こちらからもご購入いただけます

¥ 3,068

カートに入れる

+ ¥ 347 関東への配送料

発売元: 総合堂

新品の出品: 2 ¥ 3,068より

この商品をお持ちですか？

マーケットプレイスに出品する

POWDER ROOM -  
Hook on Door

## キャンペーンおよび追加情報

- DIY・工具ストア: セール、キャンペーン、季節商品などの情報を掲載。
- 電動工具アクセサリ: リョービ、マキタ、BOSCH、ブラック・アンド・デッカーなど電動工具の交換用ビットなどを各種取りそろえ。
- キャンペーン: 【500円~2,500円OFF】AKGブランドの高音質イヤホン・ヘッドホンとカテゴリー「ホーム&キッチン」全商品とのまとめ買いキャンペーン 2/29まで。今すぐチェック
- 保証範囲: 各商品のメーカー規定に準じる (国外使用の場合、保証対象外となる可能性があります) / Manufacturer's warranty policy will be applied. Overseas usage are mostly not covered by manufacturer's warranty.

## 商品の情報

## 詳細情報

製品型番	KF-28
商品重量	136 g
梱包サイズ	10 x 8.1 x 6.8 cm

## 登録情報

ASIN	B00DQ3ZGHA
おすすめ度	この商品の最初のレビューを書き込んでください。
Amazon 売れ筋ランキング	1175位 - DIY・工具 > 住宅用設備・製品 > トイレ用設備 > シャワートイレ
Amazon.co.jp での取り扱い開始日	2013/7/1

## ご意見ご要望

画像に対するフィードバックを提供する、またはさらに安い価格について知らせる

## 商品の説明

寸法:50X86X63 材質:ステンレス

## カスタマー Q&amp;A

不明な点がある場合回答を検索

DIY・工具

カテゴリー

Amazonポイント: 1,000  
マイストア ギフト券 タイムセール Amazonで売る

大上 文隆さん  
アカウントサービス


今すぐ確認  
プライム

1  
カート

ほしい物  
リスト

DIY・工具 電動工具 電動工具アクセサリ 作業工具 大工道具 ガーデニング エクステリア 住宅用設備 リフォーム バーゲン

DIY・工具 > 住宅用設備・製品 > 洗面・脱衣所用設備 > 洗面台



画像をクリックして拡大イメージを表示

### TOTO 二連紙巻器(めっき・芯棒固定) YH63R

TOTO (トートー)  
カスタマーレビューを書きませんか?

参考価格: ¥ 23,100  
価格: **¥ 11,440** & 関東への配送料無料  
OFF: ¥ 11,660 (50%)

注: Amazon プライムの対象外です。プライム対象商品も出品されています。詳しくはこちら

通常3~4日以内に発送します。在庫状況について  
住所からお届け予定日を確認

185-0012 - 東京都国分寺市本町 詳細

お届け予定日: 2/26~3/1 通常配送を利用した場合のお届け予定日です。

この商品は、住設MSI (土日祝休業) が販売、発送します。  
返品については出品者のリンクからご確認ください。

新品の出品: 4 ¥ 10,799より

- 二連紙巻器
  - めっきタイプ
  - 芯棒固定タイプ
  - 本体・紙切板・芯棒:亜鉛合金製(めっき仕上げ)
  - ワンハンドカット機能付
  - 使用可能なペーパー幅:114mm以下
  - 芯ありペーパー対応タイプ
- > もっと見る

シェアする

¥ 11,440 + 関東への配送料無料  
通常3~4日以内に発送します。販売元: 住設MSI (土日祝休業)

数量: 1

カートに入れる

1-Click 注文を有効にしてください

ほしい物リストに追加する

こちらからもご購入いただけます

¥ 10,799 + ¥ 650 関東への配送料  
販売元: K&R住設商店

¥ 12,973 + ¥ 720 関東への配送料  
販売元: 住宅設備のプロショップ DOOON!!

¥ 17,165  
販売元: Amazon.co.jp

新品の出品: 4 ¥ 10,799より

この商品をお持ちですか?

マーケットプレイスに出品する

#### キャンペーンおよび追加情報

- DIY・工具ストア: セール、キャンペーン、季節商品などの情報を掲載。
- 電動工具アクセサリ: リョービ、マキタ、BOSCH、ブラック・アンド・デッカーなど電動工具の交換用ビットなどを各種取りそろえ。
- リフォームストア: 安心の工事費込リフォームサービス。戸建向け、マンション向けそれぞれのリフォームサービスをご提供。

#### この商品に関連するスポンサー プロダクト (詳細)

ページ: 1 / 2




ELEFANG 棚付トイレ  
トペーパーホルダー / ス  
マホ 携帯 置き / 吸盤タ  
イプ ネジ取付タイプ / ペ  
¥ 998



パナソニック アラウー  
ン向け 紙巻器 CHA21WS  
166×107(mm) ペーパ  
ーホルダー ー連紙巻器  
¥ 3,100



多機能 シャワーヘッド  
マッサージ ミストシャ  
ワー ホース フックセッ  
ト(5モード レギュラーセ  
¥ 1,890



alohapl カラーの水が  
出る! LED 簡易 シャ  
ワーヘッド 電源 不要 水圧  
発電 タイプ クリーニン  
7  
¥ 1,590



混合水栓 シャワーヘッド  
伸縮ノズル キッチン 台  
所 洗面台  
2  
¥ 4,980

広告へのご意見

#### 商品の情報

詳細情報

登録情報

楽天カードでポイント4倍 さらに R 楽天市場アプリで5倍 さらに 楽天プレミアムカード 楽天モバイルご利用で7最大倍

[汚物入れ・トイレ用ゴミ箱]サニタリーボックスST-M3(容量約3L)(山崎産業)[DP-28L-SA]ペダル式...

Produced by '創業65年★共栄金物株式会社'

業務用★食器専門店 KYOEI

Melamine Ware!

トップページ 会社概要 決済・送料・返品 メルマガ登録 商品検索 カートを見る 楽天

72時間限定! 対象ショップで使える 700円OFFクーポン クーポン利用期間 2016/2/19(金)10:00~2/22(月)9:59 税込み7,000円以上お買い上げで利用可能!

清掃用品・施設備品・マット・くず入れ・衛生関連商品など環境用品も多数取り扱っております。お問合せは082-232-3161まで

あらゆるマットが揃う! ゾーン別に効果的なマットをご案内!

MISEL Misel Fura Panel Charm and Appeal Concept MISEL. オリジナルデザインを、もっと気軽に、もっとお求め安く。

少〜し小さ目サイズで経済的! 小判型 タオルペーパー 200枚×40パック入り 送料無料!

当店のコピーサイト/類似サイトにご注意ください!

POWDER ROOM - SANITARY BOX

型番・商品名・種類で探す 店舗内検索 人気検索ワード 業務用マット | サニタリーボックス | アルコール消毒液 | 灰皿スタンド 屋外 | ゴミ分別シール | ペーパータオル | レインウェア | 高所清掃 |

カテゴリトップ > インテリア > 店舗・施設備品 > トイレ備品 カテゴリトップ > インテリア > 店舗・施設備品 > ゴミ箱・分別・灰皿 > ゴミ箱・分別ツール・ゴミ保管庫 > トイレ用(サニタリーボックス) カテゴリトップ > 厨房用品 > 清掃用品 > ゴミ箱・ペール・ゴミ保管庫 > ゴミ箱・屑入 > トイレ用(サニタリーボックス)

ペダル式 サニタリーボックス 衛生的 内容器付き 容量約3L

[汚物入れ・トイレ用ゴミ箱]サニタリーボックスST-M3(山崎産業)[DP-28L-SA]ペダル式で衛生的/女性用トイレ用ゴミ箱 ステンレス製 シンプルなダストボックス/内容器付・コンパクト/業務用 [汚物入れ・トイレ用ゴミ箱]サニタリーボックスST-M3(容量約3L)(山崎産業)[DP-28L-SA]ペダル式で衛生的/女性用トイレに/小型・コンパクトタイプ/内容器付で回収・掃除が簡単/ダストボックス トイレポット 蓋付 トイレ備品・業務用

ステンレス製 サニタリーボックス (トイレ用汚物入れ) の詳細

- 錆びないステンレス製だから丈夫で長持ちなゴミ箱(ダストボックス)です。 ●シンプルなデザインで、業務用としてオフィス・商業

? よくあるご質問はこちらをご確認ください! ・注文後の納期は? ・振込での支払は可能? ・領収証の発行は可能? ノロウイルス・インフルエンザ アルコールでは除菌できない ウイルスに対応! 次亜塩素酸水

商品データベース (商品情報検索)

CENTER ROOM.

LEDD85021-LS

[閉じる](#)[マイリストに追加](#)

高気圧SB形 φ100

**LEDD85021-LS**

4,300円(税別)◎

白熱灯同等

60Wクラス

Si 端子台/

透り端子台付

取付穴

ランプ方向 ↓

最低照射距離

3.1m

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

10°

- ◎ランプ付き(LEDユニットフラット形5.4W)
- ◎質量:0.3kg
- ◎枠:アルミダイカスト(バージンホワイト)
- ◎反射板:アルミダイカスト(バージンホワイト)
- ◎天井枠の厚さ9~25mm以内
- ◎天井天井の厚さまで取付可能(配光は未対応)
- 光寿命40000時間
- 固有エネルギー消費効率62.9lm/W(340lm/5.4W)
- 電球色(2700K) ○Ra83
- ◆取り付け高さまで
- ◆2015年6月末在庫限り品

標準穴

φ100

H80

## 基本情報

形名	LEDD85021-LS 生産完了品
希望小売価格	4,300円(税別)
品名	LEDダウンライト(ランプ非梱包)
品種名	LEDダウンライト
商品コード	70071007
JANコード	4974550457408
グリーン購入法	-
発売日	2013年06月05日
在庫情報	※(在庫限り品(生産完了品))

## 詳細商品情報

特記事項1	ランプ付き
-------	-------

## 関連商品形名

光源形名	<a href="#">LDF5L-GX53/2</a> <a href="#">LDF5L-WGX53/2</a> <a href="#">LDF5LGX532</a> <a href="#">LDF5LWXG532</a> <a href="#">LDF5N-GX53/2</a> <a href="#">LDF5N-WGX53/2</a> <a href="#">LDF5NGX532</a> <a href="#">LDF5NWXG532</a>
------	--

## 関連画像



LEDD85006

[閉じる](#)[マイリストに追加](#)

高気密SB形 φ125



**LEDD85006** 白熱灯器具 60Wクラス  
 ●価格: 11,800円 (税別) ● SL端子付/ 逆り端子付付  
 ●ランプ別売: LEDユニットフラット形8.9W以下  
 ●質量: 0.9kg  
 ●色: アクリル(ホワイト)  
 ●照射角: プラスチック(レク ジンホワイト)  
 ●天井材の厚さ5~25mm以内

●専用ランプ組み合わせ価格: 16,200円 (税別)  
 ●推奨ランプ: LDF7L-H-GX53/3: 4,400円 (税別)  
 ●光源寿命40000時間  
 ●固有エネルギー消費効率  
 68 lm/W (460lm/6.7W)  
 ●電球色 (2700K) ●Ra83

◆逆り負荷6Aまで

調光可 調光器対応ランプ・コンロクス、別売

## 基本情報

形名	LEDD85006 生産完了品
希望小売価格	11,800 円 (税別)
品名	LEDダウンライト
品種名	LEDダウンライト
商品コード	70071002
JANコード	4974550424004
グリーン購入法	-
発売日	2010年12月21日
在庫情報	※ (在庫限り品 (生産完了品))

## 詳細商品情報

器具タイプ1	LEDユニットフラット形用
HZ適合	50/60Hz
器具全光束	460lm
消費電力	6.9W
質量	0.9 kg
Q1 マーク	-
ランプ別	ランプ別
ランプ同梱	ランプ非梱包
安定器別	-
ランプ名称1	LDF7L-GX53/2
埋込穴-形状	φ
埋込穴-横	125 mm
適合ランプ1	適合ランプ: LEDユニットフラット形8.9W以下
適合・認定品	照射面距離 0.1
適合補償装置用ランプ	ランプ別

仕様



ドアハンドル・レバーハンドルはユニオン(union) 既製品紹介 把手・つまみ 把手 <ユニアート>の検索一覧 ATH613-121


CADダウンロード

品番	ATH613-121
大分類	把手 <ユニアート>
中分類	把手
小分類	つまみタイプ
新製品	
種別	常備在庫品
カタログ	ユニアート 107P 掲載
Design No.	ATH613
パテント	
製品仕様	亜鉛ダイキャストクロム
価格	¥700 / 1ヶ
サイズ	W25
補足1	
補足2	
オプション	
特徴	
施工	取付ビス(トラスビス) 扉厚またはビスの長さをご指示いただければご用意いたします。
特記	
特殊用途	小口用として常備しております
目的機能	

製品画像



寸法図(画像をクリックすると拡大表示されます)



## CABINET DOOR KNOB

Page Top

[トップページ](#) | [製品紹介](#) | [施工実績](#) | [カタログ請求](#) | [Webカタログ](#) | [会社案内](#) | [ショールーム](#) | [ユニオンミュージアム](#) | [ホットスポット](#) |

[WEB会員サービス](#) | [リンク](#) | [お問い合わせ](#) | [アトリエユニオン](#) | [ユニオン造形文化財団](#) |

[ロマンチ](#) | [個人情報の取り扱いについて](#) | [サイトマップ](#) | [お取引先様専用](#)

Copyright© UNION All rights reserved.



いいナビ

### 水栓金具検索: 検索結果

- 商品分類で探す
- - 
  - 
  - 
  - 
  - 
  -

- 提供サービスで探す
- - 
  - 
  - 
  - 
  - 
  -

#### 詳細情報

[洗面・手洗 > 洗面器・手洗器用水栓 > シングルレバー混合水栓 > 手動 > ワンホール]

基本品番のみを表示しています。  
類似品番を確認する場合は、「詳細仕様及び類似品」ボタンを押してください。(類似品番を含む全件数: 2)  
代替品の詳細情報を確認する際は、代替品の品番を押してください。

全 1 件 (1-1件を表示)

<<前の10件 1 次の10件>>

[ 発売日順に表示 | [品番順に表示](#) ]

LF-E340S-PU

シリーズ名: eモダン

品名: シングルレバー混合水栓



LF-E340S-PU

[画像を拡大](#)

類似品番数: 1 [詳細仕様及び類似品](#)

販売期間 2014/11~

希望小売価格 (税別)

一般地/寒冷地 一般地

配管サイズ 13mm

吐水口タイプ 整流

吐水口長さ 固定115mm

水栓取付穴 FC

排水栓方式 ホップアップ式

備考 排水栓の操作レバーは排水金具の部品になり水栓金具の付属品ではありません

代替品

- [取扱・施工説明書](#)
- [取替用部品\(分解図\)](#)
- [詳細図](#)
- [流量曲線](#)
- [許認可情報](#)
- [お見積り・お見積り](#)
- [お見積りカタログ](#)
- [設計・施工集](#)

BATHROOM - FAUCET  
206/207

全 1 件 (1-1件を表示)

<<前の10件 1 次の10件>>

[ 発売日順に表示 | [品番順に表示](#) ]

[もどる](#)

[ページトップ](#)

[このページのトップへ](#)

ホーム > ビジネスユーザー > 水栓金具 > 水栓金具・トイレ金具情報検索 > 水栓金具検索(洗面・手洗) > [検索結果](#)

[商品情報](#) | [リフォーム](#) | [ショールーム](#) | [INAXについて](#) | [ビジネスユーザー](#) |

Copyright © LIXIL Corporation. All rights reserved.





いいナビ

- 商品分類で探す
- 提供サービスで探す

**品番で検索**  
 複数の品番を入力する場合はスペースで区切ってください。  
 品番 GL-2149FC  または  かつ

*NEW BASINS  
IN BATHROOMS*

品番検索結果

全1件 (1-1件を表示) <<前の10件 1 次の10件>> [新しい順 | 古い順]

表中の用語の説明は、用語解説をご覧ください。 [用語解説](#)



画像を拡大

品名	はめ込み大形洗面器				
販売時期	1998年～	タイプ	単品 L-2149		
取付方法	オーバーカウンター式	容量	8.5L	排水管径	32mm
特徴	オーバーフロー穴：前面左寄り				
備考					

関連資料

- [取扱・施工説明書](#)
- [取替用部品\(分解図\)](#)
- [住設総合カタログ](#)
- [設計用図面集](#)

水栓カラン穴解説

基本品番	プロガード	バリエーション	カラン穴対応	外観図	カラーバリエーション	備考
GL-2149	○	GL-2149AG	AG		表示	2000年販売開始
		GL-2149AN	AN			
		GL-2149ANC	ANC			
		GL-2149AP	AP			
		GL-2149APR	APR			
		GL-2149APRS	APRS			
		GL-2149CCPR	CCPR			
		GL-2149CCPRS	CCPRS			
		GL-2149CD	CD			
		GL-2149CL	CL			
		GL-2149CR	CR			
		GL-2149EC	EC			
		GL-2149ECS	ECS			
		GL-2149ENG	ENG			
		<b>GL-2149FC</b>	FC			
		<b>GL-2149FCPR</b>	FCPR			
<b>GL-2149FCPRS</b>	FCPRS					
<b>GL-2149FCS</b>	FCS					
GL-2149FYP	FYP					

# Neo Marb Bath

ネオマーババス

## Material


湯から湯まで通るといふ状況、  
多様なカラーで美しいバスルームを彩る、  
ホリエステル系人工大理石のバスターです。

標準色一覧 (P000-001)




1600サイズ

PNS1600R/LJ  
¥380,000




1400サイズ

PNS1480R/LJ  
¥320,000




1400サイズ

PNS1440R/LJ  
¥259,000




1300サイズ

PNS1330R/LJ  
¥212,000




1500サイズ

PNS1540R/LJ  
¥306,000




1400サイズ

PNS1460R/LJ  
¥268,000




1200サイズ

PNS1230R/LJ  
¥201,000




1400サイズ

PNS1400R/LJ  
¥219,000




1300サイズ

PNS1300R/LJ  
¥172,000



BATH POOL  
206/207  
- BATH TUB



GLASS CURTAIN FOR BATH TUB IN 206/207

キーワード

買い物かご お知らせ myクーポン 閲覧履歴 お気に入り 購入履歴 myRakuten

ヘルプ / 不適切な商品を報告  
この商品の関連商品

毎日ポイント7倍

TMN40STE3Z

充実 他店とは違う! ココが

**アフターサービス**

アフターサービス 1

最大3年間の **無料延長保証** 安心無料保証

アフターサービス 2

24時間 365日 **緊急電話対応**

台数限定! 早い者勝ち **激安**

**工事費込セット**

全国一律 **送料無料!**

一部の商品および北海道・沖縄を除く

**取付工事対応**

施工実績 350,000件以上!

経験豊富な施工のプロが責任もって工事を担当いたします。一部対応不可地域あり

**工事を依頼する**

今がチャンス! 売切御免!

**在庫処分**

最大90%OFF!

今すぐクリック!

**機卸特価品**

**送料無料**

[A602NC] 三菱 レイオン (クリンスイ) ビルトイン浄水器 アンダーシンクタイプ専用水栓

お買い得価格!  
46,238 円

**機卸特価品**

**Rinnai DELICIA**

**幅75cm 送料無料**

[RHS71W15G23V-STW]



**送料無料**

**取付工事ご希望の方**

基本工事費も同時にご購入下さい。

ページ下部

工事を希望する 取付費用を確認する

**ボタンより 工事費 をご購入・ご確認ください。**

**取付工事見積無料!**

浴室水栓 TOTO TMN40STE3Z  
[TMN40STE3Z]  
TOTO 浴室水栓 タッチスイッチ水栓 サーモスタットシャワー金具 (壁付きタイプ) シャワーヘッド:エアインめっき 寒冷地洗い場専用 高温出湯規制【送料無料】混合水栓 浴室用 蛇口

商品番号 TMN40STE3Z

価格 **37,596円** (税込) 送料込

お買い物の前に2,000ポイントゲット!

取付工事

商品のみ購入 (当店工事不要) ▼

お取り寄せ

※注文個数によりお届け日が変わることがあります。

個数 1 ▼

レビューを書く

友達にメールですすめる

0

G+ いいね!



タオル掛け YT45S2S ¥6,350  
紙巻器 YH45R ¥7,500  
ネオレスト-DH2 CES9574#NW1 ¥294,000



デザインテイストを合わせた水栓金具をご用意しています。  
シングルレバー混合栓 TLCC31E  
2015.10発売予定  
※詳細は「水栓金具」カタログ(No.154)をご参照ください。



タオル掛け  
YT45S4  
¥9,800  
450×67×48  
パー・貴銅製(めっき仕上げ)  
ブラケット:亜鉛合金製(めっき仕上げ)



タオル掛け  
YT45S2S  
¥6,350  
266×67×48  
パー・貴銅製(めっき仕上げ)  
ブラケット:亜鉛合金製(めっき仕上げ)



タオルリング  
YT45R  
¥8,100  
218×67×79  
亜鉛合金製(めっき仕上げ)  
※リング部は動きません。



紙巻器  
YH45R  
¥7,500  
143×134×79  
本体:紙切板:貴銅製(めっき仕上げ)  
ブラケット:亜鉛合金製(めっき仕上げ)  
※ペーパー取り付けのため、商品右側に130mm以上の空間が必要です。

ペーパー幅114mm以下  
※あり対応



二連紙巻器  
YH45W  
¥17,300  
285×139×79  
本体:紙切板:貴銅製(めっき仕上げ)  
ブラケット:亜鉛合金製(めっき仕上げ)  
※ペーパー取り付けのため、商品右側に130mm以上の空間が必要です。

ペーパー幅114mm以下  
※あり対応



タオル掛け YT800S6 ¥56,000  
ロープフック YA800 ¥14,400  
サーモスタット混合栓 TLXM1A1 ¥250,000  
排水金具 MX519 ¥16,000  
洗面器 MR730AA ¥198,000  
※カウンター、照明は当社商品ではありません。



デザインテイストを合わせた水栓金具をご用意しています。  
サーモスタット混合栓(電子制御機能付き)  
TLXM1A1  
※詳細は「TOTO NEW MATERIAL」カタログ(No.5500)をご参照ください。



タオル掛け YT800S3 ¥48,000  
サーモスタット混合栓 TLXM1A1 ¥250,000  
排水金具 MX519 ¥16,000  
洗面器 MR730AA ¥198,000



タオル掛け  
YT800S6  
¥56,000  
700×77.5×38  
パー・アルミ製(めっき仕上げ)  
ブラケット:亜鉛合金製(めっき仕上げ)



タオル掛け  
YT800S3  
¥48,000  
400×77.5×38  
パー・アルミ製(めっき仕上げ)  
ブラケット:亜鉛合金製(めっき仕上げ)



ロープフック  
YA800  
¥14,400  
35×46×40  
フック部:亜鉛合金製(めっき仕上げ)  
ブラケット:貴銅製(めっき仕上げ)



紙巻器  
YH800  
¥28,800  
146×77.5×86  
本体:ブラケット:亜鉛合金製(めっき仕上げ)  
※ペーパー取り付けのため、商品右側に130mm以上の空間が必要です。

ペーパー幅114mm以下  
※あり対応

手すり・バリアフリー商品の格安ネット通販

# 手すりをつけよう!グリップグリップ

TOTO バリアフリー専門店

高齢者手摺の販売と、取付方法 (DIY) ご紹介!

- トップページ
- 商品一覧
- ご利用案内
- お支払方法
- 配送方法
- FAXで注文
- 会社概要
- 施工例集
- お問い合わせ

- 手すり取付ガイド
- 手すりの位置・高さ
- 床の段差解消しかた
- 会員登録
- ログイン
- お気に入りリスト
- カートを見る

**DIYサポート宣言**  
個人様 初めての方はこちら

- 介護保険利用に対応 自己負担1割~2割
- FAX注文もOK FAXでのご注文も承ります。
- 後払いOK ご購入額10万円まで

トップページ > 浴室手すり > 浴室手摺 インテリアバー (通常品)

**ゴールド会員で**  
さらに **5%OFF**  
施工業者様 初めての方はこちら

No.1008 浴室手摺 インテリアバーI型 長さ=800 TOTO TS134GKY8S

- インテリアバー 商品一覧
- インテリアバーの低価格品 商品一覧
- 浴室手摺 取付方法
- インテリアバーの特注品 商品一覧

**手すり取付工事**  
工事付注文は こちら  
東京23区・横浜・川崎市



No.1008 浴室手摺 インテリアバーI型 長さ=800 TOTO TS134GKY8S

定価: ~~14,364円~~(税込)

価格: **9,330円** (税

込) **<35%OFF>**

色:

購入数: 1 本

**こちらの商品をショッピングカートに入れる**

お気に入りに追加

この商品について問い合わせる

友達にメールですすめる

商品検索

- TOTO 手すり商品 場所別**
- 玄関手すり 取付簡単
  - 廊下・階段 棒・金具を選ぶ
  - トイレ手すり 機能的
  - ユニットバス インテリアバー
  - 浴室手すり インテリアバー
  - 屋外手すり 高齢者介護用
  - 介護施設 丈夫な素材



拡大表示

平日11時までは **即日発送**  
(メーカー直送の場合)

介護保険 住宅改修対応

BATH TUB GRAB BAR #1

### ■ 商品の特徴

・指が掛かりやすい裏側波型形状で安心。

TS134GLCY8S | TOTO | TOTO樹脂タイプ【サンリプレプラザ】

検索

お問い合わせ  
無料お見積り

- 施工事例集 9000件以上
- お客様の声 2000件以上
- スタッフブログ 情報満載!
- お客様訪問記
- 活動レポート
- お客様ブログ
- メディア紹介
- 東京ショールーム
- 会社案内 スタッフ紹介



ご利用者数 **30** 万名様突破!  
ありがとうございます!  
ISO9001 認証取得!



ご相談窓口 全国通話料無料

総合受付(給湯器以外) ガス給湯器 専用ダイヤル  
**0120-12-4353 0120-12-8898**  
 AM9:00~PM6:00 日曜・祝祭日休み



ログイン

home > トイレまわり > 手すり/インテリアバー > TOTO樹脂タイプ > 手すり(L型 800×600)

サンリプレプラザ  
が選ばれる理由

詳細はこちら

今コレが売れています!!  
売れ筋  
ランキング

リフォームをネット見積り注文!  
ご利用の流れ  
はこちら

- トイレまわり
- ウォシュレット
- トイレ

- トイレリフォーム TOP
- ト 超得おすすめセット
- ト 工事費たったの29,800円
- ト 内装：クッションフロア
- ト 内装：フローリング
- ト 内装：ハイドロセラ
- ト 内装：壁紙の張替
- ト 脱臭：エアイー
- ト こんな工事でもできます
- ト 失敗しないトイレリフォーム
- ト 簡単!キレイ!安い!
- ト ご利用の流れ
- ト 工事見積りフォーム
- ト よくあるご質問

商品一覧

ご利用ガイド

- 取付工事付き
- ト 工事トップページ

- ト 出張工事エリア
- ト ご利用の流れ

お取り寄せ 15,000円以上 送料無料 代引手数料 0円 クレジットカード 利用可

### TOTO TS134GLCY8S



## BATH TUB GRAB BAR #2

TOTO TS134GLCY8S  
手すり(L型 800×600)

定価：24,732円(税込)  
22,900円(税抜)

サンリプレプラザ特価  
超特価40%OFF

**14,839円(税込)**  
13,740円(税抜)

カラー #NW1(ホワイト)

納期約2~6日間 数量 1 台

お買い物かごへ

お気に入りに追加

お客様の声  
customer voice



神奈川県 / M.K様

「サンリプレプラザはインターネットで商品を検索して知りました。同じようにネットで商品購入と交換作業を依頼できる → 続きを読む」



東京都 / T.F様

「ガス会社にガスコンロいかがですかとお知らせをもらって、じゃあ取り替えてみるか!ということで調べ始めたのがきっかけ → 続きを読む」



千葉県 / T.S様

「長年使用していて、もうずいぶん古くなり、トイレの蓋が壊れてしまったのをきっかけに交換しようと思いました。 → 続きを読む」



東京都 / M.S様

「もともと使っていた食洗機が壊れて開かなくなってしまいました。そこでネットで検索してサン

[TOP](#)
[商品を探す](#)
[商品ナビゲーション](#)
[SG5666](#)


## SG5666

カテゴリー: ルームエアー（不燃認定・消臭）



※各機能アイコンをマウスオーバーすると説明が出ます

### 商品画像



品番	SG5666
価格	1,000円/m 1,090円/m <sup>2</sup>
規格	92cm巾×50m乱
防火性能	不燃 準不燃 防火種別 1-4
機能	防カビ 抗菌 消臭 SV JIS適合品




BATHROOM 206/207  
WALL PAPER

- 商品や施工例画像が実際の商品の色・縮尺と異なる場合がございます。最終的な商品選定では、ショールーム、取扱店店頭などで現品見本をご確認ください。
- 価格はすべて、税別、施工費別の表示となっております。

[ダウンロード素材画像の仕様についてはこちら](#)
[Q：機能性ガラスフィルムの効果の持続期間は？](#)
[Q：壁紙の見本帳の商品の欄に表示されているA・AAなどのアルファベットの意味はなんですか？](#)
[Q：耐水性壁紙とはどのような商品ですか？](#)
[Q：サンゲツの商品を買いたいのですが、どうすれば良いでしょうか？](#)
[Q：ハウスダストを抑えるクロスはありますか？](#)

〇〇〇〇〇ご提案

〇〇〇〇〇〇〇御中

# スリミオ スリミオ リブフェイス

長尺をいかしたやわらかなラインと豊富な形状バリエーションがモダンな空間をつくれます。




壁: SLM-930/RF1、SLM-920/RF1、SLM-910/RF1


壁: SLM-930/RF4、JM-35/GR2-A

[カラーバリエーション]

WALL AROUND BATHTUB IN 206/207



SLM-930/RF1



SLM-930/RF2



SLM-930/RF3



SLM-930/RF4

[形状図]

## おすすめポイント



- 目地共最大900mmの長尺な形状です
- 長尺をいかした異形状張りが可能です
- 汚れがつきにくいセラミック素材です
- 薄さ4mmで軽量化を実現しました

※写真は印刷のため、実際の色と異なります。現物またはサンプルなどにてご確認ください。  
なお、仕様・価格は予告なく変更する場合がありますので、ご了承ください。

Biz-LIX

窓・玄関・インテリア  
エクステリアのサイトへ

LIXIL

商品情報

商品検索

イメージギャラリー

↑ 選択して下さい

+ お気に入り登録


## サーモタイル ソフライム II (浴室床タイプ)

やわらかなイメージのサーモタイルです。

### 関連リンク

カタログご利用のまえに  
省エネで地球にやさしい エネルギーゼロでひんやり解消  
きれいが長持ち 抗菌タイルで水まわりを清潔に

タイル・エコカラットのお手入れ・お掃除  
PROJECT INAX



お気に入りページ



BATHROOM 206/207  
FLOOR TILES

BI [磁器質 (断熱型床タイル)] | うす釉

### 標準品

即納対応 品切れ時対応納期  
100㎡以下 納期確認

●全品番標準品です。

300mm 角平 (浴室 床タイ プ)	IFT- 300 /SL- 31N ~ SL- 35N	300× 300	297× 297	9.0厚	11.5 枚/㎡ 0.86 ㎡/ケー ス	10	12	15,300円/㎡ 13,300円/ケース
200mm 角平 (浴室 床タイ プ)	IFT- 200 /SL- 31N ~ SL- 35N	200× 200	197× 197	9.0厚	26.5 枚/㎡ 0.94 ㎡/ケー ス	25	13	15,300円/㎡ 14,430円/ケース
150mm 角平 (浴室 床タイ プ)	IFT- 150 /SL- 31N ~ SL- 35N	150× 150	147× 147	9.0厚	46.5 枚/㎡ 0.98 ㎡/ケー ス	46	13	15,300円/㎡ 15,140円/ケース

### お客様へのおすすめ



■ サーマタイル ソフ  
ライム II (内床タイプ)



■ サーマタイル スレー  
ト II (浴室床タイプ)



■ サーマタイル クォー  
ーツ (浴室床タイプ)



■ サーマタイル ステッ  
プ



■ サーマタイル ミルキ  
ーDX II

床材、カーペット、壁紙、カーテンを取り扱う東リのビジネスユーザー向け情報サイト


[会員登録・変更](#) | [お問い合わせ](#) | [サイトマップ](#)
[Global Site](#)
[ショールーム](#) | [販売店を探す](#) | [営業所一覧](#) | [企業情報](#)
[TOP](#) | [フロア総合カタログ](#) | [品番ページ](#) | 20FL701

## フロア総合カタログ 製品検索

[特注体制](#) | [法規・法令](#) | [技術資料](#) | [副資材](#)

# NEW LINOLEUM FLOOR IN KITCHEN & MAID SPACES



### FLOORLEUM LATTICE

品名	フロアリュウム ラティス	<a href="#">品名データ</a>
品番	20FL701	
品種	複層ビニル床シート FS	
価格	3,400円/平方m(材料価格 税抜き価格) 6,190円/m(材料価格 税抜き価格)	
幅×長さ	1820mm×9m	
全厚	2mm	
取得	JIS A 5705 ビニル系床材 床シート	
JIS番号	GB0506143 GB0610001	
梱包	9m/巻	
重量	56.0kg/巻	

[資料請求する](#)

- 右クリックで上の画像をダウンロードできます。
- 掲載画像は実際の色と異なる場合がございます。

●ISO9001 認証取得スコープ対象内商品



※デジタル画像につき、実際の商品の色・柄とは多少異なります。

### 製品情報

床材	<a href="#">フロア総合カタログ</a>	<a href="#">ショールーム</a>
カーペット・ラグ&マット	<a href="#">デジタルブック</a>	<a href="#">東リ販売店</a>
壁紙	<a href="#">PDFカタログダウンロード</a>	<a href="#">資料請求</a>
カーテン	<a href="#">FAQ・インテリア情報</a>	<a href="#">会員情報・変更</a>
接着剤・巾木・副資材		

### 企業情報

[社長メッセージ](#)  
[経営理念](#)  
[会社概要](#)  
[営業所一覧](#)  
[関連会社](#)  
[東リの歴史](#)  
[投資家向け情報](#)  
[採用情報](#)

### お知らせ・その他

[ニュースリリース](#)  
[リンク集](#)  
[SNS公式アカウント一覧](#)  
[環境への取り組み](#)  
[ご利用規約](#)  
[プライバシーポリシー](#)  
[ソーシャルメディア利用規約](#)  
[ソーシャルメディアポリシー](#)

### 東リ運営サイト

[TOLI-LIFE.COM](#)


[大家猫館.COM](#)  
 イロキコク ドットコム

[FLOOR PLAN IMAGE GALLERY](#)  
 フロアプランイメージギャラリー

[インテリアFAQ](#)

[TOLI CARPET](#)

[TOP](#)
[商品を探す](#)
[商品ナビゲーション](#)
[RP3](#)

**RP3**    ニューサンルピア

# CARPET IN MAID BEDROOMS



※各機能アイコンをマウスオーバーすると説明が出ます

商品画像



品番	RP3
価格	5,200円/㎡
組成	アクリル25% アクリル系35% ポリエステル40%
パイル長	5~2mm (全厚7mm)
ロール巾	364cm
パイル形状	ループ
機能	防炎 制電 中歩行 防ダニ・抗菌 SEK 青
備考	フリーカット可



カーペット総合  
2013・2016 HOME & SEMI CONTRACT  
**CARPET**



HOME & SEMI CONTRACT  
**カーペット 5500**  
2013・2016

- 商品や施工例画像が実際の商品の色・縮尺と異なる場合がございます。最終的な商品選定では、ショールーム、取扱店店頭などで現品見本をご確認ください。
- 価格はすべて、税別、施工費別の表示となっております。

[ダウンロード素材画像の仕様についてはこちら](#)

[Q：カーペットにダニがつくのを防ぐ方法がありますか？](#)

[Q：ヨルクタイルの特徴について教えてください。](#)

[Q：ラグをホットカーペットの上に使用できますか？](#)

[Q：住宅用のカーペットタイルはありますか？](#)

[Q：フロアタイルの汚れの落とし方は？](#)



流線タンクボディ

# ASTEO

¥231,000 (税別)~

タンク式トイレの最小モデル。デザインに徹底的にこだわり作り、オンナゴコロを

[詳細はこちら](#)



スタンダード進化系

# アメージュZ

¥186,500 (税別)~

オンナゴコロにこだわりのデザインに仕上がっています。

[詳細はこちら](#)

[より詳しいINAX情報は](#)

[INAXトイレ商品情報はこちら](#)

[ショールームのご案内はこちら](#)

[INAX電子カタログはこちら](#)

[▲ このページのトップへ](#)

ホーム » トイレは、オンナゴコロ。 » INAXトイレシリーズ

[「トイレは、オンナゴコロ。」とは？](#) [トイレの女性意識調査レポート](#) [トイレ選び4つのポイント](#) [INAXトイレシリーズ](#) [ステキトイレ実例集](#)

[商品情報](#) | [リフォーム](#) | [ショールーム](#) | [LIXILについて](#) | [ビジネスユーザー](#) |

Copyright © LIXIL Corporation. All rights reserved.

MAID ROOM TOILET (IMAGE)



YH50 TOTO

Fumitaka



All Images Shopping Videos News More Search tools




SafeSearch



ワンタッチ紙巻器 YH 50



ワンタッチ紙巻器 YH 50



楽天市場】TOTO 紙巻器 (YH50) ...

item.rakuten.co.jp - 480 × 367 - Search by image

TOTO紙巻器 (YH50)

TOILET PAPER HOLDER  
Room #111

Visit page

View image

Related images:



View more

Images may be subject to copyright. - Send feedback




カラー

#SC1  
パステルアイボリー


#SR2  
パステルピンク

#SC4  
ハーベストベージュ

#SS4  
ハーベストブラウン



#SC1  
パステルアイボリー  
#SR2  
パステルピンク  
#SC4  
ハーベストベージュ  
#SS4  
ハーベストブラウン



その他トイレアクセサリー

- 一連紙巻器
- 二連紙巻器
- タオル掛け
- タオルリング
- タオル棚・化粧棚
- ローフック
- 壁付収納器
- 壁込収納器
- 化粧鏡
- 電装アクセサリー





電気式床暖房、浴室床暖房、埋設工事なら

風呂用床暖房や浴室床暖房なら株式会社アトレック。無垢フローリング、タイル、モルタル、埋設に対応

TEL 077-571-4755  
FAX 077-573-8177  
mail info@atrec.co.jp

無料お見積り・資料請求等はこちらから

メールからのお問い合わせ

FLOOR HEATING  
IN LIVING / DINING ROOM

ピアサーモ応用例

ホーム > ピアサーモ応用例

電気床暖房ピアサーモ

電気床暖房ピアサーモ

ピアサーモを選ぶ10のメリット

標準価格・仕様と電気代

敷設モデルプラン

各種床材と床構造

コントローラー仕様

施工方法について

お客様の声

ピアサーモ応用例

埋設床暖房

浴室床暖房

岩盤浴への施工

導入実績一覧

施工写真集

ピアサーモのよくあるご質問

コンテンツメニュー

会社概要

お問い合わせ

ブログ

対応エリア




コンクリート（モルタル）埋設用ピアサーモシステム

従来の電熱線ヒーターの埋設方法とは違い、ピアサーモ（電気式床暖房）は半永久的な耐久性にて、安心して長期に亘りご使用できます。

電熱線ヒーターの場合、線径が釣り糸程細い為、断線によるトラブルを宿命的に抱えていますので断線トラブルでは補修が難しく、その費用は大変高価になります。

施工は建築現場にて、特殊な防水シートの使用で、ヒーターをサンドイッチにし、浸水を完全に防止する構造です。

下地防水シート面にヒーター敷設



ヒーター上面に防水シート敷設




メッシュを敷設


- 
ピアサーモ  
カタログPDF
- 
施工事例紹介
- 
標準価格・仕様電気代
- 
Facebookページへ



↓  
カーペット仕上げ



床断面図



ピアサーモ（電気式床暖房）コンクリート等埋設実績一覧

NEW ジョイハードフロアー ナチュラルウッドタイプ

ご採用の床材に床材の  
加工業者を必ずお選び  
ください。  
(888-6-1-0)

LDK  
LDK  
LDK

WAT.  
WOOD ART TECHNOLOGY

天然材のもつ美しさがナチュラルな空間を演出します。



ナチュラルチェリー色(バーチ突き板)

木の色を最大に引き出し、  
木肌感を表現した突き板仕上げ。  
艶やかな仕上がりに、  
ナチュラルチェリー色、ナチュラルオーク色には、  
艶やかな仕上がりが特徴です。(写真参照)

滑りに強い素材を採用しているため、  
床に傷もつきにくく、  
心強い仕上がりを実現しています。  
床の傷や汚れを気にせず自由に室内の移動が  
できます。ただし、車椅子の材質や使用条件に  
よっては床表面に傷や汚れがつくことがあります。

滑りに強い素材を採用しているため、  
床に傷もつきにくく、  
心強い仕上がりを実現しています。  
床の傷や汚れを気にせず自由に室内の移動が  
できます。ただし、車椅子の材質や使用条件に  
よっては床表面に傷や汚れがつくことがあります。

NEW FLOOR IN LIVING ROOM / DINING ROOM



突き板仕様、2本溝 横溝デザイン。木味が楽しめる4色をご用意しています。



ナチュラルオーク色 (オーク突き板)  
KESWV3SNNTY 28,000円/㎡(税別/クォーター×13.3㎡)



ナチュラルチェリー色 (バーチ突き板)  
KESWV3SNCY 28,000円/㎡(税別/クォーター×13.3㎡)



ナチュラルオーク色 (オーク突き板)  
KESWV3SNEY 28,000円/㎡(税別/クォーター×13.3㎡)



ナチュラルオーク色 (オーク突き板)  
KESWV3SNJY 28,000円/㎡(税別/クォーター×13.3㎡)

■ 施工・運材時のおすすめコーティング

床材	運材時	DY	TY	OV	BY	JY	WY	PY
ナチュラルオーク色	○	○	○	○	○	○	○	○
ナチュラルチェリー色	○	○	○	○	○	○	○	○
ナチュラルオーク色	○	○	○	○	○	○	○	○
ナチュラルオーク色	○	○	○	○	○	○	○	○

油汚れも拭き取りやすく、おそうじ簡単。  
ワックスがけをしなくても、美しさ長持ち。

お手入れは日常の  
から拭き取りで、  
お掃除が楽々。  
お掃除が楽々。  
お掃除が楽々。

お掃除が楽々。  
お掃除が楽々。  
お掃除が楽々。

施工上の注意

※ 2.668参照

※ 2.668参照

※ 2.668参照

Premium  
Standard

ナチュラルオーク色 (オーク突き板)  
KESWV3SNEY 28,000円/㎡(税別/クォーター×13.3㎡)

ナチュラルチェリー色 (バーチ突き板)  
KESWV3SNCY 28,000円/㎡(税別/クォーター×13.3㎡)

ナチュラルオーク色 (オーク突き板)  
KESWV3SNJY 28,000円/㎡(税別/クォーター×13.3㎡)

ナチュラルオーク色 (オーク突き板)  
KESWV3SNEY 28,000円/㎡(税別/クォーター×13.3㎡)

ナチュラルチェリー色 (バーチ突き板)  
KESWV3SNCY 28,000円/㎡(税別/クォーター×13.3㎡)



## Regional Security Office Tokyo Security Form

Please type or write in legible block letters.

Use number 19 if you need extra space for your detailed answers.

和文・英文両方で明確に書いて下さい。英文に関しては、タイプするか活字体で記入して下さい。

(記入欄が不足した場合には、設問19にそれぞれの番号を付した上、ご記入ください。)

1. Name

氏名

(LAST /苗字)

/

(First/名前)

/

(Middle)

2. Alias/Maiden name

別姓・旧姓

3. Date of Birth

生年月日

Year

年

Month

月

Day

日

4. Nationality 国籍

5. Marital Status 婚暦			
<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Single 独身	Married 婚姻	Widowed 寡婦/夫	Divorced 離婚

6. Place of Birth (City/State) 出生地(都道府県/区市町村)

7. Permanent  
Address

本籍地

8. Present Address

現住所

9. TEL :

CELL:

EMAIL:

10. Previous addresses of past 7 years. From present to past. (過去7年間の住所を新しい順に。)

Duration 期間

Address 住所

(例'98年4月～'00年9月

〒107-0051 東京都港区赤坂1-10-5)

PHOTO

11. Last Education (最終学歴)

DATES	NAME OF SCHOOL	DEPARTMENT, MAJOR	ADDRESS
～			
期間	学校名	学部・学科	住所
～			

12. Employments of past 7 years. From present to past. (過去7年間の職業。新しい順に)  
(From/ To/ Name of Company / Address, 期間/会社名/所在地)

Dates/期間	Name of Company/ 就業先名	Address and Phone Number/ 住所、電話番号
～		
～		
～		
～		
～		
～		

13. Biological Sketch (Parents, Spouse, Children, Siblings, In-Laws)

家族構成(両親、配偶者、子供、兄弟姉妹、義父母)

Name	Relationship	DOB	Nationality	Occupation (Detailed)	Residence(City,Country)
名前	関係	生年月日	国籍	職業(具体的に)	居住地(町, 国)
	父 (Father)				
	母 (Mother)				

14. Three References residing in Japan: **Do not include family or relatives.**

(日本在住の参考人3名、住所と電話番号。家族及び親戚を除く。)

Name / 名前	Address / 住所
勤務先, 就学先名	郵便番号 Telephone/ 電話番号
	〒
	〒
	〒

15. Travel History (List your overseas travel in the last 7 years, start with most recent one.) 渡航歴 (現在から過去7年まで遡って記入してください。)				
Country 国名	DATES 期間		Type of Visa ビザ	Purpose 目的
	From	To		

16. Health Conditions 健康状態 (If answer is "YES" please give details under Item #19.) "YES" の回答があれば、設問19に詳細を書き込んでください。			YES	NO
Have you now or have you ever had any physical limitations? 過去に身体的制約 (ハンディキャップ) を持っていた、もしくは現在持っていますか?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Are you now under a physician's care? 現在、医師にかかっていますか?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have you ever had a nervous disorder? 神経系疾患を患った事がありますか?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Have you ever had tuberculosis? 結核を患った事がありますか?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Within the past 12 months, have you used intoxicating beverages or drug to excess? 過去12ヶ月内で酒類や薬物を過剰に摂取しましたか?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>
Do you have a drug, narcotic or alcohol addiction? 薬物、麻薬もしくはアルコール依存の症状がありますか?	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>	<input type="checkbox"/>

17. Have you ever been arrested or detained by any police or military authority? If so, name the authority, give the time, place and reason for arrest or detention and the disposition of court action.  
警察に逮捕されたことがありますか? あれば警察名、年月日、場所、理由、処分等を記入してください。

18. Draw a map of your residence to the nearest train station using the space below.  
最寄りの駅より自宅までの地図を詳細に書いて下さい。

19. Use this space for detailed answers. Number answers to correspond with the questions. Use extra blank pages, if necessary.

空欄を使用し、設問の番号と共に回答の詳細を記入してください。必要であれば空白のページを追加して下さい。

This is to certify that the information provided herein is true to the best of my knowledge.

以上相違ありません。

---

Signature (署名)

---

Date (日付)