

AMENDMENT OF SOLICITATION/MODIFICATION OF CONTRACT			1. CONTRACT ID CODE	PAGE OF PAGES 1 1
2. AMENDMENT/MODIFICATION NUMBER A001	3. EFFECTIVE DATE See Item 16C.	4. REQUISITION/PURCHASE REQUISITION NUMBER PR10758385	5. PROJECT NUMBER (If applicable)	
6. ISSUED BY Procurement/Contracting Office U.S. Embassy 1-10-5 Akasaka Minato-ku, Tokyo 107-8420	CODE	7. ADMINISTERED BY (If other than Item 6) See Item 6.	CODE	
8. NAME AND ADDRESS OF CONTRACTOR (Number, street, county, State and ZIP Code)			(X)	9A. AMENDMENT OF SOLICITATION NUMBER 19JA8022Q0027
			(X)	9B. DATED (SEE ITEM 11) 06/06/2022
				10A. MODIFICATION OF CONTRACT/ORDER NUMBER
				10B. DATED (SEE ITEM 13)
CODE	FACILITY CODE			

11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS

The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers is extended. is not extended.

Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation or as amended, by one of the following methods:
 (a) By completing items 8 and 15, and returning 1 copies of the amendment; (b) By acknowledging receipt of this amendment on each copy of the offer submitted; or (c) By separate letter or electronic communication which includes a reference to the solicitation and amendment numbers. FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER. If by virtue of this amendment you desire to change an offer already submitted, such change may be made by letter or electronic communication, provided each letter or electronic communication makes reference to the solicitation and this amendment, and is received prior to the opening hour and date specified.

12. ACCOUNTING AND APPROPRIATION DATA (If required)
n/a

**13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS.
IT MODIFIES THE CONTRACT/ORDER NUMBER AS DESCRIBED IN ITEM 14.**

CHECK ONE	A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: (Specify authority) THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NUMBER IN ITEM 10A.
<input type="checkbox"/>	
<input type="checkbox"/>	B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation data, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).
<input type="checkbox"/>	C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:
<input type="checkbox"/>	D. OTHER (Specify type of modification and authority)

E. IMPORTANT: Contractor is not is required to sign this document and return _____ copies to the issuing office.

14. DESCRIPTION OF AMENDMENT/MODIFICATION (Organized by UCF section headings, including solicitation/contract subject matter where feasible.)

Request for Quotations (RFQ) No. 19JA8022Q0027 is hereby amended to revise subsections C.3 and C.6.4 on pages 2 and 3 of the Attachment I-1 Statement of Work, effective the date of the Contracting Officer's signature.

As a result of the changes set forth above, pages 2 and 3 of the Attachment I-1 are hereby deleted in their entirety and replaced with the attached revised pages 2 and 3.

Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remains unchanged and in full force and effect.

15A. NAME AND TITLE OF SIGNER (Type or print)	16A. NAME AND TITLE OF CONTRACTING OFFICER (Type or print) Kendrick M. Liu Contracting Officer
15B. CONTRACTOR/OFFEROR	16B. UNITED STATES OF AMERICA
15C. DATE SIGNED	16C. DATE SIGNED 6/30/2022
(Signature of person authorized to sign)	(Signature of Contracting Officer)

Previous edition unusable

is most beneficial to the U.S. Government and that detail or statement will be implemented by the Contractor at the Contractor's expense.

C. Bathroom Restoration Work:

C.1 Removal Work:

The Contractor shall:

- (a) remove and dispose of all of pedestal sinks and faucets,
- (b) remove and dispose of existing water closet and urinal,
- (c) chip and remove wall and floor tiles, remain granite stone panel under urinal,
- (d) remove and dispose of all of lighting fixture,
- (e) remove and dispose of exhaust vent louver,
- (f) remove and dispose of partitions between commodes including for urinal,
- (g) remove and dispose of mirrors,
- (h) remove and dispose of bathroom entrance door, doorjamb and threshold,
- (n) remove one concrete block wall behind bathroom entrance door,
- (j) and remove drop ceiling above the toilet booths.

NOTE: The Contractor shall reuse the stainless counter over the pedestal sinks.

C.2 Replacement of CW Lines:

The Contractor shall replace the Cold-Water line inside Janitorial sink space and bathrooms. Assuming the check valve in the sprinkler shaft is badly rusted and the valve is not working, the Contractor shall replace the valve by freezing a partial section of the pipe to stop the water flow inside the pipe.

C.3 New Wall and Floor Tiles Installation:

The Contractor shall furnish and install new wall tiles **ECP-303/NTC1N**, or its equivalent approved by COR, from floor to ceiling for all 4 sides. The Contractor shall furnish and install 10 square meters (m2) of new floor tiles IPF-300/FS-24, or its equivalent approved by COR, for men's bathroom and 12 square meters (m2) of IPF-300/FSI-23, or its equivalent approved by COR, for Women's bathroom.

C.4 New partition Installation:

The Contractor shall furnish and install new toilet partition CLEAN BOOTH WOODECO CB-VW series from COMPANY, or its equivalent approved by COR. The new partition shall be fabricated in 2100mm minimum from floor. The Contractor shall use 2100mm height of bifold doors with 900mm clear opening. Sheet color will be selected by the COR before ordering the material. The new partition between basin and urinal also requires 2100mm height from the floor. The Contractor shall provide stainless steel finish baseboard.

C.5 Ventilation:

The Contractor shall remove and replace with new 300X300mm ventilation louver.

The Contractor shall clean inside duct to the main vertical line. The Contractor shall branch the duct and install second 150X150mm ventilation.

The Contractor shall repair ceiling with drywall and putty.

C.6 Electric work:

C.6.1 Power Outlet:

The Contractor shall install the Government-furnished 100V GFCI power outlets on walls behind commodes.

The Contractor shall install the Government-furnished 100V GFCU power outlets on top of new stainless-steel counter at bottom of mirror.

The Contractor shall feed additional 100V circuit by installing additional breaker in a separate breaker box.

C.6.2 The Contractor shall feed direct power for the following items:

- A hand dryer
- An auto faucet and thermostat
- A remote controller for Washlet heated seat mounted on wall
- An auto flush for urinal

C.6.3 Lighting:

The Contractor shall furnish and install **six** sets of Down LED light NYY56009 from Panasonic, or its equivalent approved by COR, in each bathroom.

The Contractor shall furnish one set of wall mount type LED light fixture FYY46010 from Panasonic, or its equivalent approved by COR, over the mirror in each bathroom.

The Contractor shall reuse existing circuit. Additional power is not necessary for lighting. All new light fixtures shall be 100-240V free voltage.