


MENDMENT OF SOLICITATION / MODIFICATION OF CONTRACT		1. CONTRACT ID CODE	PAGE OF PAGES
			1 1
2. AMENDMENT/MODIFICATION NO. A001	3. EFFECTIVE DATE See Item 16C.	4. REQUISITION/PURCHASE REQ. NO. PR11621279	5. PROJECT NO.
6. ISSUED BY Procurement/Contracting Office U.S. Embassy 1-10-5 Akasaka Minato-ku, Tokyo 107-8420 Japan		7. ADMINISTERED BY See Item 6.	CODE
8. NAME AND ADDRESS OF CONTRACTOR		√	9a. AMENDMENT OF SOLICITATION NO. 19JA80-23-Q-0028
			9b. DATED (SEE ITEM 11) May 11, 2023
			10a. MODIFICATION OF CONTRACT/ORDER NO.
			10b. DATED (SEE ITEM 13)
11. THIS ITEM ONLY APPLIES TO AMENDMENTS OF SOLICITATIONS			
<p>[✓] The above numbered solicitation is amended as set forth in Item 14. The hour and date specified for receipt of Offers [] is extended, [✓] is not extended. Offers must acknowledge receipt of this amendment prior to the hour and date specified in the solicitation, or as amended, by one of the following methods:</p> <p>(a) by completing Items 8 and 15 and returning one copy of the amendment;</p> <p>(b) by acknowledging receipt of this amendment on each copy of the offer submitted; or</p> <p>(c) by separate letter or telegram which includes a reference to the solicitation and amendment numbers.</p> <p>FAILURE OF YOUR ACKNOWLEDGMENT TO BE RECEIVED AT THE PLACE DESIGNATED FOR THE RECEIPT OF OFFERS PRIOR TO THE HOUR AND DATE SPECIFIED MAY RESULT IN REJECTION OF YOUR OFFER.</p> <p>If by virtue of this amendment you desire to change an offer already submitted, such change may be made by telegram or letter, provided each telegram or letter makes reference to the solicitation and this amendment and is received prior to the opening hour and date specified.</p>			
12. ACCOUNTING AND APPROPRIATION DATA N/A			
13. THIS ITEM APPLIES ONLY TO MODIFICATIONS OF CONTRACTS/ORDERS; IT MODIFIES THE CONTRACT/ORDER NO. AS DESCRIBED IN ITEM 14.			
A. THIS CHANGE ORDER IS ISSUED PURSUANT TO: THE CHANGES SET FORTH IN ITEM 14 ARE MADE IN THE CONTRACT ORDER NO. IN ITEM 10A.			
B. THE ABOVE NUMBERED CONTRACT/ORDER IS MODIFIED TO REFLECT THE ADMINISTRATIVE CHANGES (such as changes in paying office, appropriation date, etc.) SET FORTH IN ITEM 14, PURSUANT TO THE AUTHORITY OF FAR 43.103(b).			
C. THIS SUPPLEMENTAL AGREEMENT IS ENTERED INTO PURSUANT TO AUTHORITY OF:			
D. OTHER:			
E. IMPORTANT: Contractor [] is not, [] is required to sign this document and return <u>one</u> copy to the issuing office.			
14. DESCRIPTION OF AMENDMENT/MODIFICATION			
Request for Quotations (RFQ) Number 19JA80-23-Q-0028 is hereby amended as follows, effective the date of Contracting Officer's signature:			
- Attachment I-1, "Statement of Work", is hereby deleted in its entirety and replaced with the attached revised Attachment I-1, "Statement of Work".			
Except as provided herein, all terms and conditions of the document referenced in Item 9A or 10A, as heretofore changed, remain unchanged and in full force and effect.			
15A. NAME AND TITLE OF SIGNER (type or print)		16A. NAME OF CONTRACTING OFFICER	
		Charles F. Hughes	
15B. NAME OF CONTRACTOR/OFFEROR	15C. DATE SIGNED	16B. UNITED STATES OF AMERICA	16C. DATE SIGNED
BY (signature of person authorized to sign)		BY  (signature of Contracting Officer)	06-01-2023

STATEMENT OF WORK
Restoration of ADA Toilet Door in CMR

1. SCOPE OF WORK

The Contractor shall restore the door for Americans with Disabilities Act (ADA) toilet in the Chief of Mission Residence (CMR) located between the Library and the Great room.

2. GENERAL

2.1. All work required under this contract shall be accomplished in accordance with Japan Architectural Specification Standard (JASS). All work required under this contract shall be performed in a professional manner of the respective trade. The Contracting Officer's Representative (COR) and/or COR's designee shall perform QA/QC inspection on contracted work at-any-time basis. Any found deficiencies and/or discrepancies against contract work requirement and specifications shall be corrected accordingly by the Contractor at no additional cost to the Embassy.

2.2. All materials and labor shall be furnished by the Contractor unless otherwise stipulated herein. Quality of all materials to be used for all required work shall meet or exceed Japan Industrial Standard (JIS).

2.3. The Contractor shall be responsible for keeping the work areas clean and neat. After completion of work, the Contractor shall clean the work areas and leave it in a vacuum-clean condition. The Contractor shall wipe dust on the remained furniture and window sashes and blinds. The Contractor shall dispose of all debris left over from the contracted work outside the CMR Compound in accordance with applicable local codes for industrial waste disposal, unless otherwise stipulated herein.

2.4. Prior to work commencement on the job site, the Contractor shall submit to the COR for approval material samples, color samples, and a work schedule as requested.

2.5. The Contractor shall guarantee all the work completed and any materials supplied by the Contractor under this contract one (1) year from the date of acceptance against any defects.

2.6. It is the Contractor's responsibility to verify all dimensions and any site conditions. The Contractor shall notify the COR of any discrepancies or inconsistencies between the plans and the site conditions before work occurs and alters the existing conditions.

2.7. It is the Contractor's responsibility to notify the COR of any discrepancies between the plans and the specifications or any requirements identified in the contract prior to the commencement of work. If any such discrepancies are identified after the commencement of work, the COR will decide which detail or statement is most beneficial to the USG and that detail or statement will be implemented by the Contractor at the Contractor's expense.

2.8. Work schedule:

Project duration at the site is 21 working days or less.

Work hours: 8:30 - 17:30 on Monday to Friday excluding holiday.

3.0. Removal work:

3.1. Remove door, doorjamb and threshold. Try not damage the associated floors.

3.2. Cut wall including drywall, metal furring, concrete wall to fit new doorframe. Carefully cut and remove stone/wood baseboard.

4.0. Install new door:

4.1. Fabricate a custom door. New door size must be 900mm width of clear opening in minimum when the door opens at 90degree position. Height and door thickness must be matched with existing. Match the door details of structure and finish must be matched with existing perfectly. Remove and reuse the hardware including knob, hinges and door stopper. Stain and varnish the door to match in existing condition perfectly.

4.2. Paint the associated wall on both sides. Entire walls and ceiling in the hallway between library and stair hall are required to paint.

4.3. Find the wallpaper matched with existing and replace inside toilet.